



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



GYS MIG/MAG WELDING SYSTEM EASYMIG 180-4XL WITH ACCESSORIES 30-180 A GAS-COOLED

SKU: 3154020066571

MIG/MAG welding system EASYMIG 180-4XL with accessories 30-180 A gas-cooled

Categories: [MIG/MAG welding machines](#),
[Welding systems and torches](#)

Product Features: Welding current range: 30-180 A
Welding current at 60% ED/40°C: 110 A
Welding current at 100% ED/40°C: 90 A
No. of welding levels: Continuous
Type of cooling: Gas-cooled
Standard: EN60974-1
Connect

Scope of delivery:
1,00 ST MIG/MAG welding system EASYMIG 180-4XL with accessories 30-180 A gas-cooled
|

PRODUCT DESCRIPTION

Properties and areas of application: Semi-automatic welding current source that combines the MIG/MAG as well as E-Hand (MMA) processes with 180 A

- Welding of steel, stainless steel and aluminium up to 3 mm thick (MIG/MAG)
- Simple control panel and digital display ensures that it is quickly ready for use
- The low weight makes it ideal for use on building sites Further technical information:
- Width: 250mm
- Length: 550mm
- Modes of operation: 2-cycle
- Drive: 4 roller gears
- Wire Ø: 0.6-0.9mm
- Weight: 15.7kg
- Mobility: Portable
- Protection class: IP21
- Wire pick-up: S 200/B 300



- Maximum current: 180A
- Design: Compact system
- Welding current at 20% ED/40°C: 180A
- Height: 440mm
- Welding technique: MIG-MAG/flux-cored wire/E-Hand
- Wire feed: Semi-automatic
- Mains voltage: 230 V / 50/60 Hz
- Fuse: 16A
- Open-circuit voltage: 59V Scope of supply: MIG/MAG welding system, 3 m MIG/MAG welding torch, 2 m electrode holder, pre-assembled, 2 m ground cable, pre-assembled, 2 m power cable with plug with earthing contact, DP equipment 0.8/0.9 mm

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.