



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

HAZET TOOL TROLLEY 179NW-7/230 W1150XD600XH964MM 450 KG 7 DRAWERS 230-PART SHEET STEEL

SKU: 4000896219605



1,00 ST Tool trolley 179NW-7/230
W1150xD600xH964mm 450 kg 7 drawers
230-part sheet steel

Categories: [Operating Equipment](#), [Tool trolleys and accessories](#)

Product Features: Contents: 230-part
No. of drawers: 7
Load-bearing capacity per drawer: 25 kg
External depth: 600 mm
External height: 964 mm
External width: 1150 mm
Static load-bearing capacity: 450 kg
Material: She
[Datasheet](#)

Scope of delivery:
1,00 ST Tool trolley 179NW-7/230
W1150xD600xH964mm 450 kg 7 drawers
230-part sheet steel |

PRODUCT DESCRIPTION

Workbench including mounted door complete with 230-part tool assortment

- Work surface: Multiplex beech wood work surface, replaceable
- Flexible vice assembly (front, right, left) e.g. HAZET 2175 N according to drilling template specifications
- Body / push handle: Complete welded construction of the entire body for rigorous daily workshop use
- Colour of body: HAZET blue
- Optimised, yielding edge protector at all four corners with real impact protection thanks to the internal damping concept
- Cable feed-through on the rear wall allows e.g. the charging of battery devices when the door is closed
- Locking concept: Centrally arranged lock (central locking and cylinder lock) simultaneously locks the door and the drawers
- Only one key for the simultaneous locking of door and drawers (scope of supply: 2 keys)
- 180° rotation, preventing the key from breaking off



- 100 % extensible by means of ball bearing-mounted telescopic rails - self-closing
 - Opposite end pull-out stop to minimise the risk of tilting
 - Drawer concept: Self-closing and mutual locking of the drawers prevents unintentional opening
 - 100 % extensible with ball bearing-mounted telescopic rails
 - Drawer designed for optimal use of the interior
 - Drawer fronts designed for optimised handling
 - Dirt-resistant drawer coating for easy cleaning
 - 25 kg ultimate load per drawer, 1 heavy-duty drawer, load-bearing capacity 40 kg , 166 mm high
 - 2 storage areas in the shelf section, top: 15 kg / bottom: 35 kg
 - Drawer size for filing system 3/3+
 - Running gear: Large heavy-duty wheels (Ø 125 mm) with precision ball bearing and double-row ball collar in the swivel bearing, easy to move even with a high dynamic load
 - 2 swivel castors with double stop: Braked castor prevents rolling away, braked swivel bearing prevents rotation of the swivel castors
 - Safety ring prevents the penetration of dirt and threads
 - Grey, non-marking elastic castors enable a quiet and smooth movement
- Dimensions of mobile workshop (incl. handle and wheels) (W x D x H) 1150 x 600 x 964 mm
Dimensions of flat drawer (W x D x H) 522 x 398 x 81 mm (6x)
Dimensions of high drawer (W x D x H) 522 x 398 x 166 mm (1x)
- Scope of supply article no. 4000 871 137: 25-part universal set in soft foam insert, 3/3+ module
1 double-ended ring spanner (open) for external hexagon profile AF 10 x 11
1 tyre tread depth gauge with up to 30 mm measuring depth
1 flat chisel with flat oval shank in each of sizes 18 / 21 mm
1 centre punch with octagonal shank 10 mm
1 pin punch with octagonal shank in each of sizes 3 / 4 / 5 / 6 / 8
1 flat scraper, flat profile, L: 270 mm
1 plastic soft faced hammer 40 mm
1 flexible magnetic viewfinder, L: 475 mm
Telescope mirror - set comprising: Telescopic rod, L: 300 / 740 mm
Round mirror Ø 30 mm
Round mirror Ø 50 mm
Rectangular mirror 65 x 43 mm
1 cross peen hammer 400 g
1 brass feeler gauge 0.05-1.0 mm
1 retracting tape measure 5 m
1 jack knife
1 brake disc calliper brush
1 electronics set
122-part tool set 6.3 mm (1/4) + 12.5 mm (1/2) in soft foam insert (3/3+ module)
6.3 mm (1/4): 1 socket bit each for hexagon head screws in AF sizes 5.5 / 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13
1 socket bit each for external TORX® screws E 5 / 6 / 7 / 8 / 10
1 extension each for L: 55 / 147 mm
1 universal joint , L: 36.5 mm
1 HiPer fine-toothed reversible ratchet, L: 115 mm
1 adapter to 6.3 mm (1/4) hexagon socket to drive screw bits with a reversible ratchet 10 mm (3/8): 1 socket bit each for hexagon head screws in AF sizes 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 21 / 22
1 universal joint , L: 46.5 mm
1 extension each, L: 74 / 150 / 254 mm
1 HiPer fine-toothed reversible ratchet, L: 199 mm
1 reducer to 6.3 mm (1/4) internal square 12.5 mm (1/2): 1 socket bit each for hexagon head screws in AF sizes 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 20 / 21 / 22 / 23 / 24 / 26 / 27 / 28 / 30 / 32
1 socket bit each for external TORX® screws E 10 / 12 / 14 / 16 / 18 / 20
1 T-handle, L: 298 mm
1 universal joint , L: 70 mm
1 extension each for L: 123 / 248 mm
1 HiPer fine-toothed reversible ratchet, L: 275 mm
1 reducer to 10 mm (3/8) internal square 20 mm (3/4): 1 reducer to 12.5 mm (1/2) internal square
Bit 6.3 mm (1/4): 1 bit each for slotted head screws 0.5 x 4.0 / 0.6 x 4.5 / 0.8 x 5.5 / 1.0 x 6.0 mm
1 bit each for hexagon socket screws 2 / 2.5 / 3 / 4 / 5 / 6 mm
1 bit each for screws with cross-head (PH) 1 / 2 / 3
1 bit each for Pozidriv screws (PZ) 1 / 2 / 3
1 socket bit each for internal TORX® screws T 6 / 7 / 8 / 9 / 10 / 15 / 20 / 25 / 27 / 30 / 40
1 bit each for tamper-resistant TORX® screws T 10H / 15H / 20H / 25H / 27H / 30H
Bit adapter to 6.3 mm (1/4) hexagon socket with permanent magnet for the secure holding of bits and screws
1 bit holder, L: 100 mm
40-part spanner set in soft foam insert, 3/3+ module: 1 combination spanner each for external double hexagon traction profile AF 6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 / 18 / 19 / 21 / 22 / 24 / 27 / 32
1 double-ended ring spanner each for external double hexagon profile AF 6 x 7 / 8 x 9 / 10 x 11 / 12 x 13 / 14 x 15 / 16 x 17 / 18 x 19 / 20 x 22 / 21 x 23 / 24 x 27
1 double open-end spanner each for external hexagon profile AF 6 x 7 / 8 x 9 / 10 x 11 / 12 x 13 / 14 x 15 / 16 x 17 / 18 x 19 / 21 x 22 / 24 x 27 / 30 x 32 / 34 x 36
4-part pliers set in soft foam



insert, 1/3+ module: 1 pair of universal pliers, L: 160 mm 1 pair of universal pliers, L: 160 mm 1 power side cutter, L: 180 mm 1 pair of needle-nose pliers, L: 200 mm 1 pair of universal pliers for right-handers, L: 260 mm 41-part screwdriver set in soft foam insert, 3/3+ module: 1 HEXAnamic® screwdriver (short type) each for slotted screws 0.6 x 3.5 / 1.0 x 5.5 1 screwdriver each

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.