



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



PROMAT CHEMICALS PIPE THREAD SEALANT HIGH STRENGTH, MEDIUM VISCOSITY BROWN 50 G

SKU: 4015448551102

Pipe thread sealant high strength, medium viscosity brown 50 g

Categories: [Chemical-technical products](#), [Surface, pipe and screw thread seals](#)

Product Features: Contents: 50 g

Container: Bottle

Gap filling capacity: 0.15 mm

Viscosity: Medium-viscosity

Brand: PROMAT CHEMICALS

Thread: Max. M20

Strength: High-strength

Scope of delivery:

1,00 ST Pipe thread sealant high strength, medium viscosity brown 50 g |

PRODUCT DESCRIPTION

High-strength, medium-viscosity

- Secures and seals screw threads against gas, water, hydrocarbons, oil, liquid gas and many chemicals
- Replaces hemp and solid seals
- Parts can be realigned immediately after joining
- High-quality seal
- Additional corrosion protection, also suitable for hydraulic seals
- Handling strength after approx. 10 to 20 min.
- Functional strength after 1 to 3 hours
- Viscosity: 500 mPas (25 °C)
- Gap filling capacity: 0.15 mm
- Max. thread: M 20
- Strength class DIN 30661: 2
- Breakaway torque: 12 to 16 Nm
- Temperature range: -55 °C to +150 °C
- For use in engine construction, gasworks, waterworks and electricity works, the automotive and motorbike industries, the electrical industry, mechanical engineering, mining, the food industry and



turbine and nuclear power stations Further technical information:

- Colour: Brown
- Functional strength: 1-3 hours
- Hand-tight: 10-20min
- Thermal resistance: -55 to +150 °C

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.