



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## PROMAT END MILL SET DIN 6527 L DM 6/8/10/12/16 MM NO. OF CUTTERS 4 VHM TIALN 5-PART PLASTIC BOX

**SKU:** 4015448779001

End mill set DIN 6527 L dm 6/8/10/12/16 mm no. of cutters 4 VHM TiAlN 5-part plastic box

Categories: End mill sets, Milling tools

Product Features: Shank design: DIN 6535

HB

Angle of twist: 35/38 °
Coating: TiAlN-coated
Brand: PROMAT
Ø: 6/8/10/12/16 mm
No. of cutters: 4
Standard: DIN 6527 L

Cutting material: Solid carbide

Overall length: L

Scope of delivery: 1,00 ST End mill set DIN 6527 L dm 6/8/10/12/16 mm no. of cutters 4 VHM TiAIN 5-part plastic box |

## **PRODUCT DESCRIPTION**

## Solid carbide

- Universal finest grain
- TiAIN-coated
- DIN 6527 L
- Type HPC
- Four-tipped core drill
- Long
- 45° protective chamfer
- Centre cut
- With straight shank in accordance with DIN 6535 HB
- Unequal pitch
- Right-hand cutting
- Neck free grinding





- For low-vibration processing, suitable for roughing and finishing
- As a result of newly developed geometry and coating, can be used universally for milling in steel, cast steel, grey cast iron, malleable iron, Cr-Ni steels, non-ferrous metals, aluminium with silicon content and abrasive materials
- Contents: 1 pc. each of 6.0-8.0-10.0-12.0-16.0 mm Further technical information:
- Contents: 5-part
- Material qualification INOX stainless steel: Very suitable
- Material qualification cast: Very suitable
- Material qualification steel: Very suitable
- Packaging: Plastic box
- Material qualification hardness of materials: Very suitable
- Material qualification of special alloys: Very suitable
- Material qualification NF metals: Very suitable In plastic box

## PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.