



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH 3-PIECE X440 SANDING BELT SET. FOR BELT SANDERS

**SKU:** 3165140164047

3-piece X440 sanding belt set. For belt sanders

---

**Categories:** [Accessories for BOSCH professional](#), [Grinding and polishing](#)

**Product Features:** Belt dimensions, width mm: 75

Belt dimensions, length mm: 508

Grit: 60

Grit: 80

Grit: 100

Benefit HL (short): Good Removal Rate

Performance Claim Text: Excellent Removal Rate

(Version) Key RTB: Semi-friable aluminium oxide grit for high-performance sanding

Specific RTB1: Robust x-cloth backing material with a high-quality belt joint for strength in extended surface work

Specific RTB2: Electrostatic open-coated surface provides consistent dust removal for continuous sanding

Specific RTB3: The grit is bonded using fully synthetic resin for wear-resistance in heavy-duty applications

Material: Paint on wood

Material: Hardwood

Material: Solid wood furniture board

Material: Parquet

Material: Multiplex board

Material: Particleboard

Material: Plastic coated boards

Product text, Accessories grey: Pack of 3

SOL Date: 01.07.2015

Novelty: no



Scope of delivery:  
4 ST 3-piece X440 sanding belt set. For belt sanders |





## PRODUCT DESCRIPTION

The X440 Best for Wood and Paint removes material at an excellent rate when sanding old paint, varnish or wooden surfaces. Its tough semi-friable aluminium oxide abrasive grain provides high-performance sanding. In addition, the backing material is made of robust x-cloth with a high-quality belt joint for strength in extensive work. Furthermore, its grit features an electrostatic open-coated surface, providing consistent dust removal for continuous sanding. This product is intended for sanding wooden and coated surfaces, and is suitable for smoothing out feather edges. It is also ideal for flush sanding rebates and edges. The grit is bonded using fully synthetic resin for wear resistance in heavy-duty applications.

Article ID: 2608606068

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.