



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## ROBERT BOSCH POWER TOOLS GMBH 3-PIECE X450 SANDING BELT SET. FOR BELT SANDERS

**SKU:** 3165140174879

3-piece X450 sanding belt set. For belt sanders

---

**Categories:** [Accessories for BOSCH professional](#), [Grinding and polishing](#)

**Product Features:** Belt dimensions, width mm: 40

Belt dimensions, length mm: 305

Grit: 60

Benefit HL (short): Excellent Finish

Performance Claim Text: Excellent Finish (Version) Key RTB: Aluminium oxide abrasive grit is coated with a special cooling aid for perfect surface results

Specific RTB1: X-cloth backing provides stability and durability during sanding for impressive surface finishes

Specific RTB2: Electrostatically close-grain distribution and cooling additives for optimal sanding behaviour on metal surfaces

Specific RTB3: X-cloth ensures durability and stability on tough materials

Material: Stainless steel

Material: Steel

Material: Aluminium

Material: Non-ferrous metals

Product text, Accessories grey: Pack of 3

SOL Date: 01.07.2015

Novelty: no

Scope of delivery:

4 ST 3-piece X450 sanding belt set. For belt sanders |









## PRODUCT DESCRIPTION

The X450 Expert for Metal delivers an excellent finish on metal surfaces. Its aluminium oxide abrasive grit is coated with a special cooling aid, enabling perfect surface results on difficult materials. Furthermore, the X-cloth backing provides stability and durability during the sanding process for impressive surface finishes. It is intended for deburring, breaking edges and removing surface imperfections on all ferrous and non-ferrous metal surfaces. It is also ideal for performance-orientated processing of carbon steel, mild steel, stainless steel and aluminium as well as non-ferrous metals. It features electrostatically close-grain distribution and cooling additives for optimal sanding behaviour on metal surfaces. The grit is bonded using fully synthetic resin on X-cloth for work stability and wear resistance in heavy-duty applications.

Article ID: 2608606220

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.