



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH
5-PIECE HSS POINTTEQ HEX DRILL BIT
SET 2 - 6 MM. FOR ROTARY
DRILLS/DRIVERS

SKU: 6949509231659

5-piece HSS PointTeQ Hex Drill Bit set 2 - 6 mm. For rotary drills/drivers

Categories: [Accessories for BOSCH](#)
[professional](#), [Drilling](#), [Sets](#)

Product Features: Diameter mm: 2,0
Diameter mm: 3,0
Diameter mm: 4,0
Diameter mm: 5,0
Diameter mm: 6,0
Working length mm: 24
Working length mm: 33
Working length mm: 43
Working length mm: 52
Working length mm: 57
Total length mm: 60
Total length mm: 72
Total length mm: 83
Total length mm: 91
Total length mm: 98
X-LOCK: no
Benefit HL (short): Fast Drilling in Metal
Performance Claim Text: Fast Drilling in Metal
(Version) Key RTB: High-speed drilling rates
reduce heat generation and bit wear;
PointTeQ tip ensures continual sharpness
and durability
Specific RTB1: Self-centring tip prevents
wandering for quick drilling starts; black-
oxide-coated flute provides fast chip removal
Specific RTB2: Hex shank ensures a firm
connection between bit and drill, and
strengthens bit's body for reduced risk of
breakage
Specific RTB3: Split-point tip for active cutting



and perfect centring; Type N (flute angle) with 135° tip, DIN 338

Material: Steel

Material: Cast iron

Material: Metal pipes and profiles

Material: Non-ferrous metals

Material: Aluminium

Material: Plastics

Material: Metal sandwich

Product text, Accessories grey: 5-piece metal drill bit set, HSS PointTeQ

SOL Date: 01.01.2020

Novelty: no

Novelty until: 01.07.2020

Scope of delivery:

1 ST 5-piece HSS PointTeQ Hex Drill Bit set 2 - 6 mm. For rotary drills/drivers |



PRODUCT DESCRIPTION

The HSS Twist Drill Bit PointTeQ with hex shank delivers fast results when drilling in metal. Designed for high-speed drilling, it generates minimal heat and bit wear, and features a PointTeQ tip design that ensures continual sharpness and high durability. Its self-centring tip prevents wandering and enables quick and easy drilling starts, while its black-oxide-coated flute provides fast chip removal. For even higher reliability, the bit's hex shank offers stability and a firm lock between the bit and chuck, strengthening the bit's body and reducing the risk of breakage for drill bits below 6 mm in diameter. The HSS Twist Drill Bit PointTeQ's split-point tip allows for active cutting and perfect centring. Drill bit Type N (flute angle) with 135° tip, manufactured to DIN 338.

Article ID: 2607002824

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.