



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER GWS 11-125 P

SKU: 3165140717823

Angle Grinder GWS 11-125 P

---

**Categories:** [Angle grinder & metalworking](#), [BOSCH professional](#)

**Product Features:** Switch: PROtection Switch  
Packaging dimensions (width): 157 mm  
Packaging dimensions (length): 391 mm  
Packaging dimensions (height): 132 mm  
Packaging dimensions (width x length x height): 157 x 391 x 132 mm  
Voltage, electrical: 240 V  
Rated input power: 1.100 W  
No-load speed, up to: 11.500 rpm  
No-load speed: 11,500 rpm  
Power output: 740 W  
Grinding spindle thread: M14  
Disc diameter: 125 mm  
Rubber backing pad, diameter: 125 mm  
Wire cup brush, diameter: 75 mm  
Tool dimensions (width): 372 mm  
Tool dimensions (length): 102 mm  
Tool dimensions (height): 102 mm  
Weight: 2,3 kg  
Vibration emission value ah [Surface grinding (roughing)]: 6,0 m/s<sup>2</sup>  
Uncertainty K [Surface grinding (roughing)]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Sanding with sanding sheet]: 3,0 m/s<sup>2</sup>  
Uncertainty K [Sanding with sanding sheet]: 1,5 m/s<sup>2</sup>  
Product category subdivision: Angle Grinder  
Positioning: Impressive durability in the 1,100 W category with PROtection switch  
User benefit incl. Reason to believe:  
PROtection switch with dead man function turns off tool immediately when released,



increasing user protection

User benefit incl. Reason to believe: Excellent tool control made possible by switch that can be operated from a variety of positions

User benefit incl. Reason to believe: Long tool and carbon brush lifetime leads to high durability of the grinder

Positioning (BE): The new series of PROtection angle grinders: robust, perfect handling and outstanding user safety

User benefit incl. Reason to believe (BE): Outstanding user protection: the PROtection switch instantly switches the machine off when it is released

User benefit incl. Reason to believe (BE): Excellent control over the tool thanks to the possibility of operating the switch in many different positions

User benefit incl. Reason to believe (BE): Robust and powerful: high-power and high-endurance motors for fast and efficient work progress

Areas of application: Cutting concrete

Areas of application: Cutting ferrous metals

Areas of application: Cutting wood

Areas of application: Cutting synthetic material

Areas of application: Cutting solid surface material

Areas of application: Cutting non-ferrous metal

Areas of application: Cutting stone

Areas of application: Sanding ferrous metals

Areas of application: Sanding non-ferrous metal

Areas of application: Grinding ferrous metals

Areas of application: Grinding stone

Areas of application: Brushing coating material

Areas of application: Brushing ferrous metals

Areas of application: Brushing non-ferrous metal

Areas of application: Dry drilling in stone

Title: Angle Grinder GWS 11-125 P

Professional

Novelty: no

Scope of supply: Backing flange (spare part number 2 605 703 014)



Scope of supply: Locking nut (1 603 340 040)  
Scope of supply: Protective guard (1 605 510 365)

Scope of supply: Two-hole spanner (1 607 950 043)

Scope of supply: Vibration Control auxiliary handle (2 602 025 171)

Scope of supply: Voltage 240 V  
SOL Date: 04.03.2013

Scope of delivery:  
1 ST Angle Grinder GWS 11-125 P |

## PRODUCT DESCRIPTION

Angle Grinder GWS 11-125 P, The GWS 11-125 P Professional corded small angle grinder has impressive durability in the 1,100 W category. Equipped with PROtection switch with dead man function, this small angle grinder turns off immediately when the switch is released, for increased user protection. Additionally, excellent tool control is made possible by the grinder's switch, that can be operated from a variety of positions. Its long tool and carbon brush lifetime leads to a high durability of the grinder. This tool is intended for cutting and grinding metal, tiles, and bricks. It is compatible with dust attachments GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. The GWS 11-125 P Professional also features direct motor cooling, protection guard, and Vibration Control handle. Backing flange (spare part number 2 605 703 014); Locking nut (1 603 340 040); Protective guard (1 605 510 365); Two-hole spanner (1 607 950 043); Vibration Control auxiliary handle (2 602 025 171); Voltage 240 V

Article ID: 0601792202

## PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.