



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER GWS 17-125 PSB

**SKU:** 4059952576725

Angle Grinder GWS 17-125 PSB

**Categories:** [Angle grinder & metalworking](#),  
[BOSCH professional](#)

**Product Features:** Vibration emission value  
ah [Surface grinding (roughing)]: 4,8 m/s<sup>2</sup>  
Uncertainty K [Surface grinding (roughing)]:  
1,5 m/s<sup>2</sup>

Vibration emission value ah [Sanding with  
sanding sheet]: 3,2 m/s<sup>2</sup>

Uncertainty K [Sanding with sanding sheet]:  
1,5 m/s<sup>2</sup>

Product category subdivision: Angle Grinder  
Positioning: New level of power-to-grip-size  
ratio with PROtection switch, Speed Selection,  
and Intelligent Brake System

User benefit incl. Reason to believe: New  
PROtection switch combined with Intelligent  
Brake System for immediate power off and  
fast standstill when switch is released

User benefit incl. Reason to believe: Speed  
Selection for individual speed setting

User benefit incl. Reason to believe: High  
user protection by KickBack Control, Restart  
Protection, and Vibration Control side handle

Positioning (BE): New level of power-to-grip-  
size ratio with PROtection switch, Speed  
Selection, and Intelligent Brake System

User benefit incl. Reason to believe (BE): New  
PROtection switch combined with Intelligent  
Brake System for immediate power off and  
fast standstill when switch is released

User benefit incl. Reason to believe (BE):

Speed Selection for individual speed setting

User benefit incl. Reason to believe (BE): High  
user protection by KickBack Control, Restart  
Protection, and Vibration Control side handle



Title: Angle Grinder GWS 17-125 PSB  
Professional  
Novelty: yes  
Novelty until: 01.04.2023  
Scope of supply: Cardboard box  
Scope of supply: Vibration Control auxiliary handle (2 608 900 000)  
Scope of supply: Protective guard (1 605 510 365)  
Scope of supply: Protective clip-on cutting guard metal (2 608 000 756)  
Scope of supply: Two-hole spanner (1 607 950 043)  
Scope of supply: Backing flange (1 605 703 099)  
Scope of supply: Locking nut (1 603 340 040)  
Scope of supply: Dust filter (2 608 000 824)  
Scope of supply: SDS quick-locking nut (1 603 340 031)  
SOL Date: 01.01.2023  
Packaging dimensions (width): 130 mm  
Packaging dimensions (length): 390 mm  
Packaging dimensions (height): 160 mm  
Packaging dimensions (width x length x height): 130 x 390 x 160 mm  
Voltage, electrical: 230 V  
Voltage range, from: 220 V  
Voltage range, up to: 240 V  
Voltage range: 220 - 240 V  
Rated input power: 1.700 W  
No-load speed, from: 2.800 rpm  
No-load speed, up to: 11.500 rpm  
No-load speed: 2,800 - 11,500 rpm  
Grinding spindle thread: M14  
Main handle: Barrel  
Disc diameter: 125 mm  
Bore size, diameter: 22,2 mm  
Tool dimensions (width): 265 mm  
Tool dimensions (length): 326 mm  
Tool dimensions (height): 107 mm  
Weight: 2,3 kg

Scope of delivery:  
1 ST Angle Grinder GWS 17-125 PSB |



## PRODUCT DESCRIPTION

Angle Grinder GWS 17-125 PSB, The GWS 17-125 PSB Professional features a new PROtection switch for maximum convenience during work and an ergonomic and slim grip design. The PROtection switch immediately shuts off the angle grinder as soon as the switch is released. In addition, the Intelligent Brake System enables fast disc standstill. The powerful small angle grinder has an improved dust protection with air inlets at the backside of the tool. For high user protection, the GWS 17-125 PSB is equipped with KickBack Control. The GWS 17-125 PSB Professional is perfect for grinding metal or welding seams and cutting metal, concrete, bricks, and tiles. It is compatible with Bosch's dust extraction systems GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. Features like Speed Selection, Constant Speed, Soft Start, and Overload Protection are also included. Cardboard box; Vibration Control auxiliary handle (2 608 900 000); Protective guard (1 605 510 365); Protective clip-on cutting guard metal (2 608 000 756); Two-hole spanner (1 607 950 043); Backing flange (1 605 703 099); Locking nut (1 603 340 040); Dust filter (2 608 000 824); SDS quick-locking nut (1 603 340 031)

Article ID: 06017D1700

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.