



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER GWS 17-125 S

SKU: 4059952576534

Angle Grinder GWS 17-125 S

Categories: [Angle grinder & metalworking](#),
[BOSCH professional](#)

Product Features:

Packaging dimensions (width): 130 mm
Packaging dimensions (length): 390 mm
Packaging dimensions (height): 160 mm
Packaging dimensions (width x length x height): 130 x 390 x 160 mm
Voltage, electrical: 230 V
Voltage range, from: 220 V
Voltage range, up to: 240 V
Voltage range: 220 - 240 V
Rated input power: 1.700 W
No-load speed, from: 2.800 rpm
No-load speed, up to: 11.500 rpm
No-load speed: 2,800 - 11,500 rpm
Grinding spindle thread: M14
Main handle: Barrel
Disc diameter: 125 mm
Bore size, diameter: 22,2 mm
Tool dimensions (width): 265 mm
Tool dimensions (length): 327 mm
Tool dimensions (height): 108 mm
Weight: 2,2 kg
Vibration emission value ah [Surface grinding (roughing)]: 5,2 m/s²
Uncertainty K [Surface grinding (roughing)]: 1,5 m/s²
Vibration emission value ah [Sanding with sanding sheet]: 2,4 m/s²
Uncertainty K [Sanding with sanding sheet]: 1,5 m/s²
Product category subdivision: Angle Grinder
Positioning: New level of Power-to-grip-Size
Ratio in the 1,700 W class plus Speed



Selection

User benefit incl. Reason to believe: With high power, overload capability, and improved dust protection by air inlets at the backside of the tool

User benefit incl. Reason to believe: Powerful 1,700 W motor and significantly small grip size

User benefit incl. Reason to believe: KickBack Control, Restart Protection, Vibration Control side handle for high user protection

Positioning (BE): New level of Power-to-grip-Size Ratio in the 1,700 W class plus Speed Selection

User benefit incl. Reason to believe (BE): With high power, overload capability, and improved dust protection by air inlets at the backside of the tool

User benefit incl. Reason to believe (BE): Powerful 1,700 W motor and significantly small grip size

User benefit incl. Reason to believe (BE): KickBack Control, Restart Protection, Vibration Control side handle for high user protection

Title: Angle Grinder GWS 17-125 S

Professional

Novelty: no

Novelty until: 02.08.2022

Scope of supply: Vibration Control auxiliary handle (2 608 900 000)

Scope of supply: Protective guard (1 605 510 365)

Scope of supply: Protective clip-on cutting guard metal (2 608 000 756)

Scope of supply: Dust filter (2 607 432 053)

Scope of supply: Two-hole spanner (1 607 950 043)

Scope of supply: Backing flange (1 605 703 099)

Scope of supply: Locking nut (1 603 340 040)

Scope of supply: Cardboard box

SOL Date: 02.05.2022

Scope of delivery:

1 ST Angle Grinder GWS 17-125 S |



PRODUCT DESCRIPTION

Angle Grinder GWS 17-125 S, The GWS 17-125 S Professional provides high power, overload capability, and improved dust protection by air inlets at the backside of the tool with removable dust filter stand for maximum productivity. Thanks to its significantly small grip size, the angle grinder with a powerful 1,700 W motor allows better convenience while working in the metal industry. For a high user protection, it features KickBack Control, Restart Protection, and a Vibration Control side handle. The GWS 17-125 S Professional is best for grinding metal or welding seams and cutting metal, concrete, bricks, and tiles. It is compatible with Bosch's dust extraction systems GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. The small angle grinder features Constant Speed, Soft Start, and Overload Protection. Vibration Control auxiliary handle (2 608 900 000); Protective guard (1 605 510 365); Protective clip-on cutting guard metal (2 608 000 756); Dust filter (2 607 432 053); Two-hole spanner (1 607 950 043); Backing flange (1 605 703 099); Locking nut (1 603 340 040); Cardboard box

Article ID: 06017D0300

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.