



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER GWS 17-150 S

SKU: 4059952576633

Angle Grinder GWS 17-150 S

**Categories:** [Angle grinder & metalworking](#),  
[BOSCH professional](#)

**Product Features:** Packaging dimensions  
(width): 130 mm

Packaging dimensions (length): 390 mm

Packaging dimensions (height): 160 mm

Packaging dimensions (width x length x  
height): 130 x 390 x 160 mm

Voltage, electrical: 230 V

Voltage range, from: 220 V

Voltage range, up to: 240 V

Voltage range: 220 - 240 V

Rated input power: 1.700 W

No-load speed, from: 2.400 rpm

No-load speed, up to: 9.700 rpm

No-load speed: 2,400 - 9,700 rpm

Grinding spindle thread: M14

Main handle: Barrel

Disc diameter: 150 mm

Bore size, diameter: 22,2 mm

Tool dimensions (width): 280 mm

Tool dimensions (length): 327 mm

Tool dimensions (height): 108 mm

Weight: 2,2 kg

Vibration emission value ah [Surface grinding  
(roughing)]: 8,0 m/s<sup>2</sup>

Uncertainty K [Surface grinding (roughing)]:  
1,5 m/s<sup>2</sup>

Vibration emission value ah [Sanding with  
sanding sheet]: 3,5 m/s<sup>2</sup>

Uncertainty K [Sanding with sanding sheet]:  
1,5 m/s<sup>2</sup>

Product category subdivision: Angle Grinder

Positioning: New level of Power-to-grip-Size

Ratio in the 1,700 W class with Speed



#### Selection

User benefit incl. Reason to believe: Provides high power with 1,700 W motor, overload capability, and improved dust protection

User benefit incl. Reason to believe: Significantly small grip size for better convenience and improved dust protection thanks to removable dust filters

User benefit incl. Reason to believe: High user protection through KickBack Control, Restart Protection, and Vibration Control side handle

Positioning (BE): New level of Power-to-grip-Size Ratio in the 1,700 W class

User benefit incl. Reason to believe (BE): With high power, overload capability, and improved dust protection by air inlets at the backside of the tool. Powerful 1,700 W motor and significantly small grip size KickBack Control, Restart Protection, Vibration Control side handle for high user protection

Title: Angle Grinder GWS 17-150 S

Professional

Novelty: no

Novelty until: 02.08.2022

Scope of supply: Vibration Control auxiliary handle (2 608 900 000)

Scope of supply: Protective guard (1 605 510 366)

Scope of supply: Protective clip-on cutting guard metal (2 608 000 759)

Scope of supply: Dust filter (2 607 432 053)

Scope of supply: Two-hole spanner (1 607 950 043)

Scope of supply: Backing flange (1 605 703 099)

Scope of supply: Locking nut (1 603 340 040)

Scope of supply: Cardboard box

SOL Date: 02.05.2022

Scope of delivery:

1 ST Angle Grinder GWS 17-150 S |

## PRODUCT DESCRIPTION

Angle Grinder GWS 17-150 S, The GWS 17-150 S Professional provides high power, overload capability,



and improved dust protection by air inlets at the backside of the tool allows maximum productivity. Its significantly small grip size gives it much better convenience while working in the metal industry. Its features like KickBack Control, Restart Protection, and a Vibration Control side handle are important for a high level of user protection. The GWS 17-150 S Professional does all the jobs when it comes to grinding metal or welding seams and cutting metal, concrete, bricks, and tiles. The small angle grinder features Speed Selection, Constant Speed, Soft Start, and Overload Protection. Vibration Control auxiliary handle (2 608 900 000); Protective guard (1 605 510 366); Protective clip-on cutting guard metal (2 608 000 759); Dust filter (2 607 432 053); Two-hole spanner (1 607 950 043); Backing flange (1 605 703 099); Locking nut (1 603 340 040); Cardboard box

Article ID: 06017D0600

#### **PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.