



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER GWS 18-125 SPL

SKU: 3165140923910

Angle Grinder GWS 18-125 SPL



Categories: [Angle grinder & metalworking](#),
[BOSCH professional](#)

Product Features: Switch: PROtection Switch

Packaging dimensions (width): 162 mm

Packaging dimensions (length): 463 mm

Packaging dimensions (height): 141 mm

Packaging dimensions (width x length x

height): 162 x 463 x 141 mm

Rated input power: 1.800 W

No-load speed, from: 2.800 rpm

No-load speed, up to: 12.000 rpm

No-load speed: 2,800 - 12,000 rpm

Grinding spindle thread: M14

Disc diameter: 125 mm

Rubber backing pad, diameter: 125 mm

Wire cup brush, diameter: 75 mm

Tool dimensions (width): 382 mm

Tool dimensions (length): 102 mm

Tool dimensions (height): 102 mm

Weight: 2,5 kg

Vibration emission value ah [Surface grinding
(roughing)]: 10,0 m/s²

Uncertainty K [Surface grinding (roughing)]:
1,5 m/s²

Vibration emission value ah [Sanding with
sanding sheet]: 4,0 m/s²

Uncertainty K [Sanding with sanding sheet]:
1,5 m/s²

Product category subdivision: Angle Grinder

Positioning: High-powered grinding
performance and ergonomic design in the
1,800 W category with PROtection switch and
speed selection

User benefit incl. Reason to believe: Fast
work progress is accomplished due to the



grinders powerful 1,800 W motor with constant electronics

User benefit incl. Reason to believe: Long and slim main handle offers superior convenience for long-term usage and comfortable work

User benefit incl. Reason to believe: KickBack Control, PROtection switch, and Vibration Control handle provide increased user protection

Positioning (BE): High power with perfect handling

User benefit incl. Reason to believe (BE): Highest convenience thanks to ergonomic main handle for applications free of fatigue

User benefit incl. Reason to believe (BE):

Strong 1,800 W motor for high performance and fast working progress

User benefit incl. Reason to believe (BE):

Leading user protection due to KickBack Control, restart protection, anti-rotation protective guard and vibration reduction

Areas of application: Cutting concrete

Areas of application: Cutting ferrous metals

Areas of application: Cutting wood

Areas of application: Cutting synthetic material

Areas of application: Cutting solid surface material

Areas of application: Cutting non-ferrous metal

Areas of application: Cutting stone

Areas of application: Grinding ferrous metals

Areas of application: Grinding stone

Areas of application: Brushing coating material

Areas of application: Brushing ferrous metals

Areas of application: Brushing non-ferrous metal

Areas of application: Dry drilling in stone

Title: Angle Grinder GWS 18-125 SPL

Professional

Novelty: no

Novelty until: 01.07.2018

Scope of supply: Backing flange (spare part number 2 605 703 014)

Scope of supply: Locking nut (1 603 340 040)

Scope of supply: Protective guard (1 605 510)



365)

Scope of supply: Two-hole spanner (1 607 950 043)

Scope of supply: Vibration Control auxiliary handle (2 602 025 171)

SOL Date: 01.01.2018

Scope of delivery:

1 ST Angle Grinder GWS 18-125 SPL |

PRODUCT DESCRIPTION

Angle Grinder GWS 18-125 SPL, The GWS 18-125 SPL Professional corded small angle grinder with PROtection switch and speed selection delivers high-powered performance and an ergonomic design in the 1,800 W category. Fast work progress is accomplished due to the grinders powerful 1,800 W motor with constant electronics. Its long and slim main handle offers superior convenience for long-term usage and comfortable application. Furthermore, features like KickBack Control, PROtection switch, and a Vibration Control handle provide increased user protection. This tool is intended for grinding metal. It is compatible with dust attachments GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. The GWS 18-125 SPL Professional also includes features such as overload protection, restart protection, soft start, and Vibration Control. Backing flange (spare part number 2 605 703 014); Locking nut (1 603 340 040); Protective guard (1 605 510 365); Two-hole spanner (1 607 950 043); Vibration Control auxiliary handle (2 602 025 171)

Article ID: 06017A3300

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.