Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER GWS 18-125 SPL

SKU: 3165140923910

Angle Grinder GWS 18-125 SPL

Categories: Angle grinder & metalworking, BOSCH professional

Product Features: Switch: PROtection Switch
Packaging dimensions (width): 162 mm
Packaging dimensions (length): 463 mm
Packaging dimensions (height): 141 mm
Packaging dimensions (width x length x height): 162 x 463 x 141 mm
Rated input power: 1.800 W
No-load speed, from: 2.800 rpm
No-load speed, up to: 12.000 rpm
No-load speed: 2,800 - 12,000 rpm
Grinding spindle thread: M14
Disc diameter: 125 mm
Rubber backing pad, diameter: 125 mm
Wire cup brush, diameter: 75 mm
Tool dimensions (width): 382 mm
Tool dimensions (length): 102 mm
Tool dimensions (height): 102 mm
Weight: 2,5 kg
Vibration emission value ah [Surface grinding (roughing)]: 10,0 m/s²
Uncertainty K [Surface grinding (roughing)]: 1,5 m/s²
Vibration emission value ah [Sanding with sanding sheet]: 4,0 m/s²
Uncertainty K [Sanding with sanding sheet]: 1,5 m/s²
Product category subdivision: Angle Grinder
Positioning: High-powered grinding performance and ergonomic design in the 1,800 W category with PROtection switch and speed selection
User benefit incl. Reason to believe: Fast work progress is accomplished due to the

Copyright © 2023 Actik Tools All rights reserved

grinders powerful 1,800 W motor with constant electronics
User benefit incl. Reason to believe: Long and slim main handle offers superior convenience for long-term usage and comfortable work
User benefit incl. Reason to believe: KickBack Control, PROtection switch, and Vibration Control handle provide increased user protection
Positioning (BE): High power with perfect handling
User benefit incl. Reason to believe (BE): Highest convenience thanks to ergonomic main handle for applications free of fatigue
User benefit incl. Reason to believe (BE): Strong 1,800 W motor for high performance and fast working progress
User benefit incl. Reason to believe (BE): Leading user protection due to KickBack Control, restart protection, anti-rotation protective guard and vibration reduction
Areas of application: Cutting concrete
Areas of application: Cutting ferrous metals
Areas of application: Cutting wood
Areas of application: Cutting synthetic material
Areas of application: Cutting solid surface material
Areas of application: Cutting non-ferrous metal
Areas of application: Cutting stone
Areas of application: Grinding ferrous metals
Areas of application: Grinding stone
Areas of application: Brushing coating material
Areas of application: Brushing ferrous metals
Areas of application: Brushing non-ferrous metal
Areas of application: Dry drilling in stone
Title: Angle Grinder GWS 18-125 SPL Professional
Novelty: no
Novelty until: 01.07.2018
Scope of supply: Backing flange (spare part number 2 605 703 014)
Scope of supply: Locking nut (1 603 340 040)
Scope of supply: Protective guard (1 605 510

Copyright © 2023 Actik Tools All rights reserved

365)
Scope of supply: Two-hole spanner (1 607 950 043)
Scope of supply: Vibration Control auxiliary handle (2 602 025 171)
SOL Date: 01.01.2018

Scope of delivery:
1 ST Angle Grinder GWS 18-125 SPL |

PRODUCT DESCRIPTION

Angle Grinder GWS 18-125 SPL, The GWS 18-125 SPL Professional corded small angle grinder with PROtection switch and speed selection delivers high-powered performance and an ergonomic design in the 1,800 W category. Fast work progress is accomplished due to the grinders powerful 1,800 W motor with constant electronics. Its long and slim main handle offers superior convenience for long-term usage and comfortable application. Furthermore, features like KickBack Control, PROtection switch, and a Vibration Control handle provide increased user protection. This tool is intended for grinding metal. It is compatible with dust attachments GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. The GWS 18-125 SPL Professional also includes features such as overload protection, restart protection, soft start, and Vibration Control. Backing flange (spare part number 2 605 703 014); Locking nut (1 603 340 040); Protective guard (1 605 510 365); Two-hole spanner (1 607 950 043); Vibration Control auxiliary handle (2 602 025 171)

Article ID: 06017A3300

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved