Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER GWS 24-230 JZ

SKU: 4059952556079

Angle Grinder GWS 24-230 JZ

Categories: Angle grinder & metalworking, BOSCH professional

Product Features: Tool dimensions (width): 193 mm
Tool dimensions (length): 530 mm
Tool dimensions (height): 138 mm
Switch: Lockable Switch
Packaging dimensions (width): 195 mm
Packaging dimensions (length): 605 mm
Packaging dimensions (height): 135 mm
Packaging dimensions (width x length x height): 195 x 605 x 135 mm
Voltage, electrical: 230 V
Rated input power: 2.400 W
No-load speed, up to: 8.500 rpm
No-load speed: 8,500 rpm
Grinding spindle thread: M14
Main handle: Barrel
Disc diameter: 180 mm
Rubber backing pad, diameter: 180 mm
Grinding head, diameter: 140 mm
Weight: 5,8 kg
Vibration emission value ah [Surface grinding (roughing)]: 6,5 m/s²
Uncertainty K [Surface grinding (roughing)]: 1,5 m/s²
Vibration emission value ah [Sanding with sanding sheet]: 3,0 m/s²
Uncertainty K [Sanding with sanding sheet]: 1,5 m/s²
Product category subdivision: Angle Grinder
Positioning: Powerful 180-mm angle grinder with new CYCLON TECH dust protection system
User benefit incl. Reason to believe: Powerful

Copyright © 2023 Actik Tools All rights reserved

2,400 W motor for strong cutting and grinding
User benefit incl. Reason to believe: Revolutionary CYCLON TECH dust protection system for significantly longer lifetime
User benefit incl. Reason to believe: Reduced vibration through smoother motor operation and anti-vibration auxiliary handle
Positioning (BE): Powerful 2,400W angle grinder with CYCLON TECH dust protection system for extended performance
User benefit incl. Reason to believe (BE): Worlds first CYCLON TECH removes up to 90% of dust from cooling air for up to 3X increased motor lifetime.
User benefit incl. Reason to believe (BE): New patented motor delivers up to 2X high overload capability for higher material removal rate.
User benefit incl. Reason to believe (BE): Precision engineered mechanical system together with the vibration control auxiliary handle reduces the vibration by 13% for the operator.
User benefit incl. Reason to believe (BE): Overload Protection shuts down the tool under extended overload conditions, to protect the tool
User benefit incl. Reason to believe (BE): Restart Protection for increased user safety and Soft Start adds to convenience.
Areas of application: Cutting ferrous metals
Areas of application: Cutting synthetic material
Areas of application: Cutting non-ferrous metal
Areas of application: Cutting stone
Areas of application: Grinding coating material
Areas of application: Grinding concrete
Areas of application: Grinding ferrous metals
Areas of application: Grinding wood
Areas of application: Grinding synthetic material
Areas of application: Grinding natural materials
Areas of application: Grinding stone
Title: Angle Grinder GWS 24-230 JZ

Copyright © 2023 Actik Tools All rights reserved

Professional
Novelty: no
Novelty until: 01.06.2022
Scope of supply: Two-hole spanner (1 607 950 061)
Scope of supply: Backing flange (spare part number 2 605 703 014)
Scope of supply: Locking nut (1 603 345 043)
Scope of supply: Cardboard box
Scope of supply: Protective cover (1 619 P15 622)
Scope of supply: Auxiliary handle (1 602 025 030)
SOL Date: 01.01.2022

Scope of delivery:
1 ST Angle Grinder GWS 24-230 JZ |

PRODUCT DESCRIPTION

Angle Grinder GWS 24-230 JZ, The GWS 24-180 JZ Professional angle grinder unites improved user protection with extended lifetime, thanks to its innovative CYCLON TECH dust protection system. Its 2,400 W motor handles tough grinding and cutting jobs. The CYCLON TECH based dust protection system collects up to 90% of interior dust, boosting lifespan. Reduced motor vibration and the anti-vibration auxiliary handle ensure more working comfort. This angle grinder delivers powerful cutting and grinding of diverse materials including metal, concrete, and stone. The GWS 24-180 JZ Professional features restart protection and soft start function for increased user protection. Two-hole spanner (1 607 950 061); Backing flange (spare part number 2 605 703 014); Locking nut (1 603 345 043); Cardboard box; Protective cover (1 619 P15 622); Auxiliary handle (1 602 025 030)

Article ID: 06018C3300

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved