



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER GWS 24-230 LVI

**SKU:** 3165140484565

Angle Grinder GWS 24-230 LVI

**Categories:** [Angle grinder & metalworking](#),  
[BOSCH professional](#)

**Product Features:** Rated input power: 2.400 W

No-load speed, up to: 6.500 rpm

No-load speed: 6,500 rpm

Grinding spindle thread: M14

Main handle: Bow (rotating)

Disc diameter: 230 mm

Weight: 5,5 kg

Switch: Lockable Switch

Packaging dimensions (width): 190 mm

Packaging dimensions (length): 590 mm

Packaging dimensions (height): 125 mm

Packaging dimensions (width x length x height): 190 x 590 x 125 mm

Voltage, electrical: 230 V

Product category subdivision: Angle Grinder

Positioning: Enduring grinding power and high user protection in the 2,400 W category

User benefit incl. Reason to believe: Strong results also for advanced work are ensured by a high-powered 2,400 W motor

User benefit incl. Reason to believe: User protection increased to an especially high level due to KickBack Control and restart protection

User benefit incl. Reason to believe: Vibration Control main handle and Vibration Control auxiliary handle reduce vibration up to 50%

Positioning (BE): The powerful tool with the lowest weight

User benefit incl. Reason to believe (BE): Powerful 2400 W Champion motor and rotating bow handle



User benefit incl. Reason to believe (BE):  
Lowest weight in its class  
User benefit incl. Reason to believe (BE):  
Vibration reduced by up to 50% thanks to  
Vibration Control main handle and auxiliary  
handle, for low-fatigue working (EN 60745)  
Areas of application: Cutting concrete  
Areas of application: Cutting ferrous metals  
Areas of application: Cutting synthetic  
material  
Areas of application: Cutting solid surface  
material  
Areas of application: Cutting non-ferrous  
metal  
Areas of application: Cutting stone  
Areas of application: Sanding ferrous metals  
Areas of application: Sanding non-ferrous  
metal  
Areas of application: Grinding ferrous metals  
Areas of application: Brushing coating  
material  
Areas of application: Brushing ferrous metals  
Areas of application: Brushing non-ferrous  
metal  
Areas of application: Dry drilling in stone  
Title: Angle Grinder GWS 24-230 LVI  
Professional  
Novelty: no  
Scope of supply: Backing flange (1 605 703  
099)  
Scope of supply: Locking nut (1 603 340 040)  
Scope of supply: Quick adjustment protective  
guard (2 605 510 281)  
Scope of supply: Tri-Control switch  
Scope of supply: Two-hole spanner (1 607  
950 048)  
Scope of supply: Vibration Control auxiliary  
handle (2 602 025 181)  
SOL Date: 01.01.2013

Scope of delivery:  
1 ST Angle Grinder GWS 24-230 LVI |

## PRODUCT DESCRIPTION

Angle Grinder GWS 24-230 LVI, The GWS 24-230 LVI Professional corded large angle grinder offers



enduring grinding power and high user protection in the 2,400 W category. Strong results are also ensured for advanced work by its highpowered 2,400 W motor. User protection is increased to an especially high level due to the grinder's KickBack Control and restart protection features. It is also equipped with a Vibration Control main handle and a Vibration Control auxiliary handle that generate up to 50% less vibration. This tool is intended for cutting and grinding metal, tiles, and bricks. It is compatible with dust attachment GDE 230 FC-T Professional. The GWS 24-230 LVI Professional also features a protection guard. Backing flange (1 605 703 099); Locking nut (1 603 340 040); Quick adjustment protective guard (2 605 510 281); Tri-Control switch; Two-hole spanner (1 607 950 048); Vibration Control auxiliary handle (2 602 025 181)

Article ID: 0601893F00

#### **PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.