



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER GWS 9-125 S

**SKU:** 3165140923118

Angle Grinder GWS 9-125 S

Categories: Angle grinder & metalworking,

**BOSCH professional** 

Product Features: Weight: 1,9 kg

Switch: Lockable Switch

Packaging dimensions (width): 128 mm Packaging dimensions (length): 362 mm Packaging dimensions (height): 122 mm Packaging dimensions (width x length x

height): 128 x 362 x 122 mm Voltage range, from: 220 V Voltage range, up to: 240 V Voltage range: 220 - 240 V Rated input power: 900 W No-load speed, from: 2.800 rpm No-load speed, up to: 11.000 rpm No-load speed: 2,800 - 11,000 rpm

Power output: 450 W

Grinding spindle thread: M14

Disc diameter: 125 mm

Tool dimensions (width): 73 mm Tool dimensions (length): 280 mm Tool dimensions (height): 100 mm

Vibration emission value ah [Surface grinding

(roughing)]: 7,5 m/s<sup>2</sup>

Uncertainty K [Surface grinding (roughing)]:

1,5 m/s<sup>2</sup>

Vibration emission value ah [Sanding with

sanding sheet]: 7,5 m/s<sup>2</sup>

Uncertainty K [Sanding with sanding sheet]:

1,5 m/s<sup>2</sup>

Product category subdivision: Angle Grinder Positioning: Strong motor and speed selection combined with optimal tool control User benefit incl. Reason to believe: Small angle grinder with strong 900 W motor for





fast work progress

User benefit incl. Reason to believe: Optimal tool control due to its small grip size and ergonomic design

User benefit incl. Reason to believe: Speed Selection feature produces perfect working results in a variety of materials

Positioning (BE): 900 W built for tough jobs! User benefit incl. Reason to believe (BE): Superior grinding/cutting performance due to high power and torque at 900 W User benefit incl. Reason to believe (BE): Bestin-class hand control due to palm-fit grip size and ergonomic design

User benefit incl. Reason to believe (BE): Long lifetime under tough working conditions and heavy workloads due to robust design and components

User benefit incl. Reason to believe (BE): Multi-application and accessories due to speed pre-selection function

Areas of application: Cutting ferrous metals

Areas of application: Cutting wood
Areas of application: Cutting synthetic

material

Areas of application: Cutting non-ferrous

metal

Areas of application: Cutting stone Areas of application: Grinding coating

material

Areas of application: Grinding concrete Areas of application: Grinding ferrous metals

Areas of application: Grinding wood Areas of application: Grinding synthetic

material

Areas of application: Grinding natural

materials

Areas of application: Grinding stone Areas of application: Brushing coating

material

Areas of application: Brushing ferrous metals Areas of application: Brushing non-ferrous

metal

Title: Angle Grinder GWS 9-125 S Professional

Novelty: no

Novelty until: 01.05.2018

Scope of supply: Backing flange Scope of supply: Cardboard box





Scope of supply: Protective guard Scope of supply: Locking nut Scope of supply: Auxiliary handle Scope of supply: Two-hole spanners

SOL Date: 01.11.2017

Scope of delivery: 1 ST Angle Grinder GWS 9-125 S |

## PRODUCT DESCRIPTION

Angle Grinder GWS 9-125 S, The GWS 9-125 S Professional small angle grinder features a strong motor, speed selection and optimal tool control. Its strong 900 W motor facilitates fast work progress. This small angle grinder has optimal tool control due its small grip size and ergonomic design. Furthermore, its speed selection feature produces perfect working results in a variety of materials. The GWS 9-125 S is intended for cutting and grinding metal, tiles, and bricks. It is compatible with dust attachment GDE 125 EA-T Professional. The GWS 9-125 S Professional als features protection guard and restart protection. Backing flange; Cardboard box; Protective guard; Locking nut; Auxiliary handle; Two-hole spanners

Article ID: 0601396104

## PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools