



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER WITH X-LOCK GWX 14-125 S

SKU: 4059952576732

Angle Grinder with X-LOCK GWX 14-125 S

**Categories:** [Angle grinder & metalworking](#),  
[BOSCH professional](#)

**Product Features:** Packaging dimensions  
(width): 265 mm

Packaging dimensions (length): 327 mm

Packaging dimensions (height): 108 mm

Packaging dimensions (width x length x  
height): 265 x 327 x 108 mm

Voltage, electrical: 230 V

Voltage range, from: 220 V

Voltage range, up to: 240 V

Voltage range: 220 - 240 V

Rated input power: 1.400 W

No-load speed, from: 2.800 rpm

No-load speed, up to: 11.500 rpm

No-load speed: 2,800 - 11,500 rpm

Main handle: Barrel

Disc diameter: 125 mm

Tool dimensions (width): 265 mm

Tool dimensions (length): 327 mm

Tool dimensions (height): 108 mm

Weight: 2,2 kg

Vibration emission value ah [Surface grinding  
(roughing)]: 6,3 m/s<sup>2</sup>

Uncertainty K [Surface grinding (roughing)]:  
1,5 m/s<sup>2</sup>

Vibration emission value ah [Sanding with  
sanding sheet]: 3,4 m/s<sup>2</sup>

Uncertainty K [Sanding with sanding sheet]:  
1,5 m/s<sup>2</sup>

Product category subdivision: Angle Grinder  
with X-LOCK

Positioning: Above previous level of Power-  
to-grip-Size Ratio: with X-LOCK and Speed



#### Selection

User benefit incl. Reason to believe:

Improved dust protection, speed selection, and a significantly small grip size

User benefit incl. Reason to believe: Quick, easy, and safe accessory change thanks to keyless X-LOCK system

User benefit incl. Reason to believe: KickBack Control, Restart Protection, and Vibration Control side handle for high user protection

Title: Angle Grinder with X-LOCK GWX 14-125 S Professional

Novelty: no

Novelty until: 02.08.2022

Scope of supply: Vibration Control auxiliary handle (2 608 900 000)

Scope of supply: Protective guard (1 605 510 365)

Scope of supply: Protective clip-on cutting guard plastic (2 608 000 757)

Scope of supply: Cardboard box

SOL Date: 02.05.2022

#### Scope of delivery:

1 ST Angle Grinder with X-LOCK GWX 14-125 S |

## PRODUCT DESCRIPTION

Angle Grinder with X-LOCK GWX 14-125 S, Maximum productivity through more power and better robustness, an improved dust protection by air inlets at the backside of the tool, Speed Selection, and a significantly small grip size make the GWX 14-125 S Professional so convenient and efficient. Accessory change is quick, easy, and safe thanks to its keyless X-LOCK system. A higher user protection is ensured by KickBack Control, Restart Protection, and a Vibration Control side handle. The compact angle grinder is perfect for grinding metal and welding seams or cutting metal, concrete, bricks, and tiles. It is compatible with Bosch's dust extraction systems GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. More features are Speed Selection, Constant Speed, Soft Start, and Overload Protection. Vibration Control auxiliary handle (2 608 900 000); Protective guard (1 605 510 365); Protective clip-on cutting guard plastic (2 608 000 757); Cardboard box

Article ID: 06017D2100

#### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information



about the product can be found on our website.