Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER WITH X-LOCK GWX 14-125 S

SKU: 4059952576732

Angle Grinder with X-LOCK GWX 14-125 S

Categories: Angle grinder & metalworking, BOSCH professional

Product Features: Packaging dimensions (width): 265 mm
Packaging dimensions (length): 327 mm
Packaging dimensions (height): 108 mm
Packaging dimensions (width x length x height): 265 x 327 x 108 mm
Voltage, electrical: 230 V
Voltage range, from: 220 V
Voltage range, up to: 240 V
Voltage range: 220 - 240 V
Rated input power: 1.400 W
No-load speed, from: 2.800 rpm
No-load speed, up to: 11.500 rpm
No-load speed: 2,800 - 11,500 rpm
Main handle: Barrel
Disc diameter: 125 mm
Tool dimensions (width): 265 mm
Tool dimensions (length): 327 mm
Tool dimensions (height): 108 mm
Weight: 2,2 kg
Vibration emission value ah [Surface grinding (roughing)]: 6,3 m/s²
Uncertainty K [Surface grinding (roughing)]: 1,5 m/s²
Vibration emission value ah [Sanding with sanding sheet]: 3,4 m/s²
Uncertainty K [Sanding with sanding sheet]: 1,5 m/s²
Product category subdivision: Angle Grinder with X-LOCK
Positioning: Above previous level of Power-to-grip-Size Ratio: with X-LOCK and Speed

Copyright © 2023 Actik Tools All rights reserved

Selection
User benefit incl. Reason to believe: Improved dust protection, speed selection, and a significantly small grip size
User benefit incl. Reason to believe: Quick, easy, and safe accessory change thanks to keyless X-LOCK system
User benefit incl. Reason to believe: KickBack Control, Restart Protection, and Vibration Control side handle for high user protection
Title: Angle Grinder with X-LOCK GWX 14-125 S Professional
Novelty: no
Novelty until: 02.08.2022
Scope of supply: Vibration Control auxiliary handle (2 608 900 000)
Scope of supply: Protective guard (1 605 510 365)
Scope of supply: Protective clip-on cutting guard plastic (2 608 000 757)
Scope of supply: Cardboard box
SOL Date: 02.05.2022

Scope of delivery:
1 ST Angle Grinder with X-LOCK GWX 14-125 S |

PRODUCT DESCRIPTION

Angle Grinder with X-LOCK GWX 14-125 S, Maximum productivity through more power and better robustness, an improved dust protection by air inlets at the backside of the tool, Speed Selection, and a significantly small grip size make the GWX 14-125 S Professional so convenient and efficient. Accessory change is quick, easy, and safe thanks to its keyless X-LOCK system. A higher user protection is ensured by KickBack Control, Restart Protection, and a Vibration Control side handle. The compact angle grinder is perfect for grinding metal and welding seams or cutting metal, concrete, bricks, and tiles. It is compatible with Boschs dust extraction systems GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. More features are Speed Selection, Constant Speed, Soft Start, and Overload Protection. Vibration Control auxiliary handle (2 608 900 000); Protective guard (1 605 510 365); Protective clip-on cutting guard plastic (2 608 000 757); Cardboard box

Article ID: 06017D2100

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information

Copyright © 2023 Actik Tools All rights reserved

about the product can be found on our website.

Copyright © 2023 Actik Tools

All rights reserved