



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER WITH X-LOCK GWX 17-125 S

SKU: 4059952576749

Angle Grinder with X-LOCK GWX 17-125 S

---

**Categories:** [Angle grinder & metalworking](#),  
[BOSCH professional](#)

**Product Features:** Packaging dimensions  
(width): 130 mm

Packaging dimensions (length): 390 mm

Packaging dimensions (height): 160 mm

Packaging dimensions (width x length x  
height): 130 x 390 x 160 mm

Voltage, electrical: 230 V

Voltage range, from: 220 V

Voltage range, up to: 240 V

Voltage range: 220 - 240 V

Rated input power: 1.700 W

No-load speed, from: 2.800 rpm

No-load speed, up to: 11.500 rpm

No-load speed: 2,800 - 11,500 rpm

Main handle: Barrel

Disc diameter: 125 mm

Tool dimensions (width): 265 mm

Tool dimensions (length): 327 mm

Tool dimensions (height): 108 mm

Weight: 2,2 kg

Vibration emission value ah [Surface grinding  
(roughing)]: 5,4 m/s<sup>2</sup>

Uncertainty K [Surface grinding (roughing)]:  
1,5 m/s<sup>2</sup>

Vibration emission value ah [Sanding with  
sanding sheet]: 3,6 m/s<sup>2</sup>

Uncertainty K [Sanding with sanding sheet]:  
1,5 m/s<sup>2</sup>

Product category subdivision: Angle Grinder  
with X-LOCK

Positioning: New level of Power-to-grip-Size  
Ratio with X-LOCK and Speed Selection



User benefit incl. Reason to believe: High power, overload capability, and improved dust protection thanks to removable dust filters for maximum productivity

User benefit incl. Reason to believe: Powerful 1,700 W motor and keyless X-LOCK system

User benefit incl. Reason to believe: KickBack Control, Restart Protection, and Vibration Control side handle for high user protection

Positioning (BE): New level of Power-to-grip-Size Ratio in the 1,700 W class

User benefit incl. Reason to believe (BE): With high power, overload capability, and improved dust protection by air inlets at the backside of the tool. Powerful 1,700 W motor and significantly small grip size KickBack Control, Restart Protection, Vibration Control side handle for high user protection

Title: Angle Grinder with X-LOCK GWX 17-125 S Professional

Novelty: no

Novelty until: 02.08.2022

Scope of supply: Vibration Control auxiliary handle (2 608 900 000)

Scope of supply: Protective guard (1 605 510 365)

Scope of supply: Protective clip-on cutting guard metal (2 608 000 756)

Scope of supply: Dust filter (2 607 432 053)

Scope of supply: Cardboard box

SOL Date: 02.05.2022

Scope of delivery:

1 ST Angle Grinder with X-LOCK GWX 17-125 S |

## PRODUCT DESCRIPTION

Angle Grinder with X-LOCK GWX 17-125 S, High power, overload capability, and improved dust protection by air inlets at the backside of the tool for maximum productivity are the characteristics of the GWX 17-125 S Professional. Another highlight is the keyless X-LOCK system for quick, easy, and safe accessory changes. It features KickBack Control, Restart Protection, and a Vibration Control side handle, which lead to high user protection. Grinding metal or welding seams and cutting metal, concrete, bricks, and tiles are jobs for the GWX 17-125 S Professional. It is compatible with Bosch's dust extraction systems GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. The new small angle grinder also features Speed Selection, Constant Speed, Soft Start, and Overload Protection. Vibration Control auxiliary handle (2 608



900 000); Protective guard (1 605 510 365); Protective clip-on cutting guard metal (2 608 000 756); Dust filter (2 607 432 053); Cardboard box

Article ID: 06017D2300

#### **PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.