



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER WITH X-LOCK GWX 19-125 S

SKU: 3165140962490

Angle Grinder with X-LOCK GWX 19-125 S



Categories: [Angle grinder & metalworking](#),
[BOSCH professional](#)

Product Features: Switch: Lockable Switch
Packaging dimensions (width): 160 mm
Packaging dimensions (length): 445 mm
Packaging dimensions (height): 135 mm
Packaging dimensions (width x length x height): 160 x 445 x 135 mm
Voltage, electrical: 230 V
Rated input power: 1.900 W
No-load speed, from: 2.800 rpm
No-load speed, up to: 11.500 rpm
No-load speed: 2,800 - 11,500 rpm
Power output: 1.220 W
Disc diameter: 125 mm
Rubber backing pad, diameter: 125 mm
Wire cup brush, diameter: 75 mm
Tool dimensions (width): 311 mm
Tool dimensions (length): 103 mm
Tool dimensions (height): 103 mm
Weight: 2,5 kg
Vibration emission value ah [Surface grinding (roughing)]: 6,0 m/s²
Uncertainty K [Surface grinding (roughing)]: 1,5 m/s²
Vibration emission value ah [Sanding with sanding sheet]: 4,0 m/s²
Uncertainty K [Sanding with sanding sheet]: 1,5 m/s²
Product category subdivision: Angle Grinder with X-LOCK
Positioning: Most powerful small angle grinder with speed selection in the 1,900 W category - with X-LOCK



User benefit incl. Reason to believe: Powerful 1,900 W motor with constant electronics and speed selection enables the most efficient working results

User benefit incl. Reason to believe: Changing accessories is fast and convenient thanks to keyless X-LOCK click system

User benefit incl. Reason to believe: KickBack Control and Vibration Control handle provide increased user protection

Positioning (BE): Most powerful small angle grinder with speed selection in the 1,900 W category - with X-LOCK

User benefit incl. Reason to believe (BE): Powerful 1,900 W motor with constant electronics and speed selection enables the most efficient working results

User benefit incl. Reason to believe (BE): Changing accessories is fast and convenient thanks to keyless X-LOCK click system

User benefit incl. Reason to believe (BE): KickBack Control and Vibration Control handle provide increased user protection

Areas of application: Cutting concrete

Areas of application: Cutting ferrous metals

Areas of application: Cutting wood

Areas of application: Cutting synthetic material

Areas of application: Cutting non-ferrous metal

Areas of application: Cutting stone

Areas of application: Sanding ferrous metals

Areas of application: Sanding non-ferrous metal

Areas of application: Brushing coating material

Areas of application: Brushing ferrous metals

Areas of application: Brushing non-ferrous metal

Areas of application: Dry drilling in stone

Title: Angle Grinder with X-LOCK GWX 19-125 S Professional

Novelty: no

Novelty until: 01.10.2019

Scope of supply: Dust protection filter (2 608 000 695)

Scope of supply: Protective guard (1 605 510 365)



Scope of supply: Vibration Control auxiliary handle (2 602 025 171)

Scope of supply: Cardboard box

SOL Date: 15.01.2019

Scope of delivery:

1 ST Angle Grinder with X-LOCK GWX 19-125 S |

PRODUCT DESCRIPTION

Angle Grinder with X-LOCK GWX 19-125 S, The GWX 19-125 S Professional corded small angle grinder with X-LOCK and speed selection is the most powerful small angle grinder for maximum productivity in the 1,900 W category. Its powerful 1,900 W motor with constant electronics and speed selection enables the most efficient working results. This small angle grinder comes with a keyless X-LOCK click system that enables fast and convenient accessory changes. Furthermore, KickBack Control and a Vibration Control handle provide increased user protection. This tool is intended for cutting and grinding metal, tiles, and bricks. It is compatible with dust attachments GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. The GWX 19-125 S Professional is the world's first small angle grinder in the 1,900 W category and also features direct motor cooling, overload protection, and restart protection. Dust protection filter (2 608 000 695); Protective guard (1 605 510 365); Vibration Control auxiliary handle (2 602 025 171); Cardboard box

Article ID: 06017C8002

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.