



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH ANGLE GRINDER WITH X-LOCK GWX 9-115 S

SKU: 3165140962537

Angle Grinder with X-LOCK GWX 9-115 S



Categories: [Angle grinder & metalworking](#),
[BOSCH professional](#)

Product Features: Switch: Lockable Switch
Packaging dimensions (width): 317 mm
Packaging dimensions (length): 442 mm
Packaging dimensions (height): 123 mm
Packaging dimensions (width x length x height): 317 x 442 x 123 mm
Voltage, electrical: 230 V
Voltage range, from: 220 V
Voltage range, up to: 240 V
Voltage range: 220 - 240 V
Rated input power: 900 W
No-load speed, from: 2.800 rpm
No-load speed, up to: 11.000 rpm
No-load speed: 2,800 - 11,000 rpm
Power output: 450 W
Disc diameter: 115 mm
Rubber backing pad, diameter: 115 mm
Wire cup brush, diameter: 75 mm
Tool dimensions (width): 73 mm
Tool dimensions (length): 280 mm
Tool dimensions (height): 100 mm
Weight: 2,1 kg
Vibration emission value ah [Surface grinding (roughing)]: 6,0 m/s²
Uncertainty K [Surface grinding (roughing)]: 1,5 m/s²
Vibration emission value ah [Sanding with sanding sheet]: 6,0 m/s²
Uncertainty K [Sanding with sanding sheet]: 1,5 m/s²
Product category subdivision: Angle Grinder with X-LOCK



Positioning: Superior tool control with improved power level in 900 W category - with X-LOCK

User benefit incl. Reason to believe: Small angle grinder with powerful 900 W motor for fast work progress

User benefit incl. Reason to believe: Changing accessories is fast and convenient thanks to keyless X-LOCK click system

User benefit incl. Reason to believe: Speed selection feature produces perfect working results in a variety of materials and with a wide range of accessories

Positioning (BE): Superior tool control with improved power level in 900 W category - with X-LOCK

User benefit incl. Reason to believe (BE): Small angle grinder with powerful 900 W motor for fast work progress

User benefit incl. Reason to believe (BE): Changing accessories is fast and convenient thanks to keyless X-LOCK click system

User benefit incl. Reason to believe (BE): Speed selection feature produces perfect working results in a variety of materials and with a wide range of accessories

Areas of application: Cutting concrete

Areas of application: Cutting ferrous metals

Areas of application: Cutting wood

Areas of application: Cutting synthetic material

Areas of application: Cutting non-ferrous metal

Areas of application: Cutting stone

Areas of application: Sanding ferrous metals

Areas of application: Sanding non-ferrous metal

Areas of application: Brushing coating material

Areas of application: Brushing ferrous metals

Areas of application: Brushing non-ferrous metal

Areas of application: Dry drilling in stone

Title: Angle Grinder with X-LOCK GWX 9-115 S Professional

Novelty: no

Novelty until: 01.10.2019

Scope of supply: Auxiliary handle (spare part)



number 2 602 025 067)

Scope of supply: Carrying case (1 619 P06 556)

Scope of supply: Protective guard (2 608 000 677)

SOL Date: 15.01.2019

Scope of delivery:

1 ST Angle Grinder with X-LOCK GWX 9-115 S

|

PRODUCT DESCRIPTION

Angle Grinder with X-LOCK GWX 9-115 S, The GWX 9-115 S Professional corded small angle grinder with X-LOCK delivers superior tool control while reaching new power levels in the 900 W category. Its powerful 900 W motor facilitates fast work progress. This small angle grinder comes with a keyless X-LOCK click system that enables fast and convenient accessory changes. Furthermore, its speed selection feature produces perfect working results in a variety of materials and with a wide range of accessories. This tool is intended for cutting and grinding metal, tiles, and bricks. The GWX 9-115 S Professional also features a protection guard and restart protection. Auxiliary handle (spare part number 2 602 025 067); Carrying case (1 619 P06 556); Protective guard (2 608 000 677)

Article ID: 06017B1000

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.