



#### Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

# ROBERT BOSCH POWER TOOLS GMBH BEADING BIT, 8 MM, R1 3.2 MM, D 9.5 MM, L 10.2 MM, G 41 MM. FOR HAND-HELD ROUTERS

SKU: 3165140358668

Beading bit, 8 mm, R1 3.2 mm, D 9.5 mm, L 10.2 mm, G 41 mm. For hand-held routers

**Categories:** <u>Accessories for BOSCH</u> professional, <u>Cutters and planing knives</u>

## Product Features: Shank mm: 8

Radius (R1) mm: 3,2 Diameter (D) mm: 9,5 Working length (L) mm: 10,2 Total length (G) mm: 41 Benefit HL (short): High Cutting Performance for Decorative Edges Performance Claim Text: For Decorative Edges (Version) Key RTB: High-quality tungsten carbide cutters for durability and reliable cutting results Specific RTB1: Bit design prevents kickbacks by limiting the generated chip-thickness Specific RTB2: Intended for carving furniture decorative edges or interior fitting work in soft and hard solid wood and wood composites Material: Hardwood Material: Particleboard Material: Medium density fibreboard Material: Plywood Material: Softwood SOL Date: 19.07.2002 Novelty: no

Scope of delivery: 1 ST Beading bit, 8 mm, R1 3.2 mm, D 9.5 mm, L 10.2 mm, G 41 mm. For hand-held





routers |















# **PRODUCT DESCRIPTION**

The Standard for Wood Beading Bit provides a high cutting performance when routing decorative edges. It features high-quality tungsten carbide cutters for durability and reliable cutting results. Furthermore, the bit prevents kickbacks by limiting the thickness of the generated chips. It is intended for carving decorative edges for furniture manufacture or interior fitting work in soft and hard solid wood as well as wood composites.

## Article ID: 2608628405

#### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.