




Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH BIM PLUNGE CUT SAW BLADE AII 65 APB WOOD AND METAL. FOR OSCILLATING MULTITOOLS

SKU: 3165140665940

BIM plunge cut saw blade AII 65 APB Wood and Metal. For oscillating multitools

Categories: [Accessories for BOSCH professional](#), [Accessories for multifunctional tools](#)

Product Features: Material: BIM

Width [mm]: 65

Immersion depth [mm]: 40

Benefit HL (short): Long Life for Wide Cuts in Wood and Non-Hardened Metal

Performance Claim Text: Long Life for Wide Cuts

(Version) Key RTB: BIM combination of an HCS blade and HSS teeth resists wear and heat to ensure lifetime use

Specific RTB1: Flat design reduces wobbling, enabling direct power transfer that minimises wear

Specific RTB2: Its rounded cutting edge (Curved-Tec) prevents tooth breakage and increases durability

Specific RTB3: Starlock Snap-In mounting system for fast blade removal and exchange within 3 seconds without having to touch the blade

Material: Wood with nails

Material: Metal sandwich

Material: Plastic coated boards

Material: Plastics

SOL Date: 01.01.2016

Novelty: no

Scope of delivery:



25 ST BIM plunge cut saw blade All 65 APB
Wood and Metal. For oscillating multitools |

PRODUCT DESCRIPTION

The Starlock All 65 APB blade offers long life for wide cuts in wood and non-hardened metal. Its robust BIM (bi-metal) combination of an HCS (high carbon steel) blade and HSS (high-speed steel) teeth resists wear and heat in hard materials such as metal and in abrasive materials to ensure lifetime use. The blade's flat design reduces wobbling to ensure a controlled cut due to direct power transmission that minimises wear on the blade. Its rounded cutting edge (Curved-Tec) prevents tooth breakage and increases durability. This blade is intended for cutting door frames to length on the floor and plunge cutting in laminated panels. It cuts wood with non-hardened metal, soft plastic, plasterboard and wood with nails. The Starlock Snap-In mounting system allows fast blade removal and exchange within 3 seconds without having to touch the blade. The mounting system produces the highest power transfer thanks to a 3-dimensional tight-fitting connection between machine and accessory.

Article ID: 2608661901

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.