



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CARBIDE-RIFF SEGMENT SAW BLADE MATI 68 RT3. FOR OSCILLATING MULTITOOLS

SKU: 3165140833196

Carbide-RIFF segment saw blade MATI 68 RT3. For oscillating multitools

Categories: [Accessories for BOSCH professional](#), [Accessories for multifunctional tools](#)

Product Features: Material: Carbide RIFF
Cutting width [mm]: 2,2
Width [mm]: 68
Length [mm]: 30
Grit: 40
Benefit HL (short): Extra-Fast Routing in Grout and Abrasive
Performance Claim Text: Extra-Fast Routing (Version) Key RTB: Blade design with pointed edges for fast work progress, even in tight spaces and corners
Specific RTB1: Long 30 mm blade reaches into joints for deep routing and fast results
Specific RTB2: 68 mm wide carbide grit 30 cutting edge enables efficient material removal and high speed
Specific RTB3: Carbide grit for long lifetime
Material: Mortar
Material: Fibre cement boards
Material: Fibre plastics GFK, CFK
Material: Aerated concrete
SOL Date: 01.01.2016
Novelty: no

Scope of delivery:
1 ST Carbide-RIFF segment saw blade MATI 68 RT3. For oscillating multitools |



PRODUCT DESCRIPTION

The Starlock MATI 68 RT3 is designed for extra-fast results when routing in grout and abrasive. The blade's design features pointed edges for fast work progress, even in tight spaces and corners. Its 30 mm blade length reaches into joints for deep routing cuts and fast work results. High-quality fine carbide grit 30 covers the 68 mm wide cutting edge for efficient material removal and speed. This is efficient for routing deep grout, even in the hardest-to-reach spaces such as edges and corners. It is also perfect for routing grooves in porous concrete and soft brick and cutouts in soft wall tiles. In addition, the blade can also cut recesses in abrasive materials such as cement-bonded fibre boards and glass fibre-reinforced composites. The blades tough carbide grit 30 ensures strong wear resistance and an extra-long life. The Starlock Max system offers maximum depth, speed and versatility in even the most demanding heavy-duty applications. The Starlock Snap-In mounting system allows fast blade removal and exchange within 3 seconds without having to touch the blade. The mounting system produces the highest power transfer due to a 3-dimensional tight-fitting connection between machine and accessory.

Article ID: 2608662577

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.