



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CHARGER GAL 18V-40

SKU: 3165140967860

Charger GAL 18V-40

Categories: [Battery-powered tools](#), [BOSCH professional](#)

Product Features: Packaging dimensions (width): 140 mm
Packaging dimensions (length): 250 mm
Packaging dimensions (height): 95 mm
Packaging dimensions (width x length x height): 140 x 250 x 95 mm
Battery voltage: 18.0 V
Battery charging voltage, from: 14,4 V
Battery charging voltage, up to: 18 V
Battery charging voltage: 14.4 - 18 V
Charge current: 4,0 A
Charg. time at bat. cap. 2.0 Ah (80%) approx.: 24
Charg. time at bat. cap. 2.0 Ah (100%) approx.: 35
Charg. time at bat. cap. 2.0 Ah (80%/100%) approx.: 24/35 min
Charg. time at bat. cap. 3.0 Ah (80%) approx.: 36
Charg. time at bat. cap. 3.0 Ah (100%) approx.: 50
Charg. time at bat. cap. 3.0 Ah (80%/100%) approx.: 36/50 min
Charg. time at bat. cap. 4.0 Ah (80%) approx.: 48
Charg. time at bat. cap. 4.0 Ah (100%) approx.: 65
Charg. time at bat. cap. 4.0 Ah (80%/100%) approx.: 48/65 min
Charg. time at bat. cap. 5.0 Ah (80%) approx.: 60
Charg. time at bat. cap. 5.0 Ah (100%) approx.: 70



Charg. time at bat. cap. 5.0 Ah (80%/100%)

approx.: 60/70 min

Charg. time at bat. cap. 6.0 Ah (80%) approx.:
72

Charg. time at bat. cap. 6.0 Ah (100%)

approx.: 95

Charg. time at bat. cap. 6.0 Ah (80%/100%)

approx.: 72/95 min

Charg. time at ProCORE18V 4.0 Ah (80%)

approx.: 48

Charg. time at ProCORE18V 4.0 Ah (100%)

approx.: 65

Charg. time ProCORE18V 4.0 Ah (80%/100%)

approx.: 48/65 min

Charg. time at ProCORE18V 8.0 Ah (80%)

approx.: 113

Charg. time at ProCORE18V 8.0 Ah (100%)

approx.: 124

Charg. time ProCORE18V 8.0 Ah (80%/100%)

approx.: 113/124 min

Charg. time at ProCORE18V 12.0 Ah (80%)

approx.: 162

Charg. time at ProCORE18V 12.0 Ah (100%)

approx.: 172

Charg. time ProCORE18V 12.0 Ah (80%/100%)

approx.: 162/172 min

Weight: 1 kg

Product category subdivision: Charger

Positioning: The compact 18 V charger.

User benefit incl. Reason to believe:

Compact: Due to its modern design it is very compact

User benefit incl. Reason to believe: With 4 A

charging current it charges the GBA 18V 4.0

Ah battery up to 80% in only 48 minutes, GBA

18V 2.0 Ah up to 80% in 24 minutes

User benefit incl. Reason to believe:

Professional 18V System: 100% compatible

with all Bosch Professional 18 V batteries

Positioning (BE): The compact 18 V charger.

User benefit incl. Reason to believe (BE):

Compact: Due to its modern design it is very compact.

User benefit incl. Reason to believe (BE):

Optimised charging speed: Optimised

charging speed for compact 18 V batteries as

it charges an 18 V 2.0 Ah battery in 36 mins to 80%.



User benefit incl. Reason to believe (BE):
Professional 18V System: 100% compatible
with all Bosch Professional 18 V batteries.
Title: Charger GAL 18V-40 Professional
Novelty: no
Novelty until: 01.07.2019
Scope of supply: Cardboard box
Scope of supply: Quick charger GAL 18V-40
Professional (1 600 A01 9Rj)
SOL Date: 01.01.2019

Scope of delivery:
1 ST Charger GAL 18V-40 |

PRODUCT DESCRIPTION

Charger GAL 18V-40, The GAL 18V-40 offers a modern design, which leads to a very high compactness. With its 4 A charging current it charges a GBA 18V 4.0 Ah battery up to 80% in only 48 minutes and a GBA 18V 2.0 Ah battery up to 80% within 24 minutes. This compact charger is part of the Bosch Professional 18V System and is 100% compatible with all Bosch Professional 18 V batteries. Additionally the GAL 18V-40 offers a wall-mounting option. Cardboard box; Quick charger GAL 18V-40 Professional (1 600 A01 9Rj)

Article ID: 1600A019Rj

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.