



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH COMBI LASER GCL 2-15 G

**SKU:** 3165140869553

Combi Laser GCL 2-15 G

---

**Categories:** [BOSCH professional](#), [Measuring equipment](#)

**Product Features:** Laser diode: Line: 500 - 540 nm, < 10 mW

Laser diode: Point: 630 - 650, < 1 mW

Operating temperature, from: -10 °C

Operating temperature, up to: 50 °C

Operating temperature: -10 - 50 °C

Storage temperature, from: -20 °C

Storage temperature, up to: 70 °C

Storage temperature: -20 - 70 °C

Laser class: 2

Working range, sign: up to

Working range, value: 15 m

Working range: up to 15 m

Accuracy:  $\pm 0.3$  mm/m\* (\*plus use-dependent deviation)

Working range of laser points, max.: 10 m (top)

Working range of laser points, max.: 10 m (bottom)

Self-levelling range:  $\pm 4^\circ$

Levelling time: 4 s

Dust and splash protection: IP 54

Power supply: 3 x 1.5 V LR6 (AA)

Operating time (max.): 6 h in cross line and point mode

Operating time (max.): 8 h in cross line mode

Operating time (max.): 10 h in line and point mode

Operating time (max.): 12 h in line mode

Operating time (max.): 22 h in point mode

Tripod thread: 1/4", 5/8"

Weight, approx.: 0,49 kg

Colour of laser line: green



Projection: 2 lines / 2 points  
Plumb point accuracy:  $\pm 0.7$  mm/m\* (\*plus use-dependent deviation)  
Product category subdivision: Combi Laser  
Positioning: Green laser lines for up to four times better visibility  
User benefit incl. Reason to believe: Green horizontal and vertical laser lines for up to four times better visibility than red lines  
User benefit incl. Reason to believe: Precise transfer applications thanks to red plumb points  
User benefit incl. Reason to believe: Rotating mount RM 1 Professional allows laser lines to be easily aligned around the plumb points  
Title: Combi Laser GCL 2-15 G Professional  
Novelty: no  
Novelty until: 01.01.2017  
Scope of supply: Carrying case  
Scope of supply: Rotating mount RM 1 Professional (0 601 092 600)  
Scope of supply: Ceiling clamp  
Scope of supply: Laser target plate  
Scope of supply: 3 x 1.5 V LR6 battery (AA)  
SOL Date: 01.01.2017

Scope of delivery:  
1 ST Combi Laser GCL 2-15 G |

## PRODUCT DESCRIPTION

Combi Laser GCL 2-15 G, Up to four times better visibility with green laser lines and perfectly versatile - this is Bosch's combi laser GCL 2-15 G Professional. The two laser lines allow for precise vertical and horizontal alignment, while red plumb points simplify transfer applications. Easily align laser lines around the plumb points with the versatile rotating mount RM 1 Professional. The GCL 2-15 G Professional is suitable for various jobs such as suspending drop-ceilings, installing drainage pipes and laying floors. It also offers point transfers for light mountings. The GCL 2-15 G Professional has a line laser working range of up to 15 m and self-levels in less than 4 seconds. This combi laser is ideal for use with the RM 1 Professional, which can be swiftly attached via a simple slide mechanism. It is robust with IP54 dust and splash water protection. When the tool is switched off, the pendulum automatically locks for safe transportation and convenient storage. Carrying case; Rotating mount RM 1 Professional (0 601 092 600); Ceiling clamp; Laser target plate; 3 x 1.5 V LR6 battery (AA)

Article ID: 0601066J00

## PRODUCT DATASHEET LEGAL NOTE



Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.