



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH COMBI LASER GCL 2-50 G

**SKU:** 4059952511108

Combi Laser GCL 2-50 G

---

**Categories:** [BOSCH professional](#), [Measuring equipment](#)

**Product Features:** Operating temperature, from: -10 °C

Operating temperature, up to: 45 °C

Operating temperature: -10 - 45 °C

Storage temperature, from: -20 °C

Storage temperature, up to: 70 °C

Storage temperature: -20 - 70 °C

Laser class: 2

Working range, sign: up to

Working range, value: 15 m

Working range: up to 15 m

Working range with receiver, sign: up to

Working range with receiver, value: 50 m

Working range with receiver: up to 50 m

Accuracy:  $\pm 0.3$  mm/m\* (\*plus use-dependent deviation)

Working range of laser points, max.: 10 m

Self-levelling range:  $\pm 4^\circ$

Levelling time: 4 s

Dust and splash protection: IP 64

Power supply: 4 x 1.5 V LR6 (AA)

Tripod thread: 1/4"

Weight, approx.: 0,58 kg

Colour of laser line: green

Color of plumb points: green

Projection: 2 lines / 2 points

Plumb point accuracy:  $\pm 0.7$  mm/m\* (\*plus use-dependent deviation)

Compatible laser receivers: LR 7

Product category subdivision: Combi Laser

Positioning: Durability and ease of use. Green laser lines and green plumb points

User benefit incl. Reason to believe: Durable



design, featuring a rubberised housing with recessed glasses and dust and splash water protection IP 64 to withstand tough environments

User benefit incl. Reason to believe: ON/OFF switch and one-button keypad make for ease of use

User benefit incl. Reason to believe: Green laser lines and green plumb points provide enhanced visibility

Title: Combi Laser GCL 2-50 G Professional

Novelty: no

Novelty until: 15.10.2020

Scope of supply: Rotating Mount RM 10 Professional (0 601 092 A00)

Scope of supply: Ceiling Clip DK 10 Professional

Scope of supply: Laser target plate

Scope of supply: Pouch

Scope of supply: 4 x 1.5 V LR6 battery (AA)

Scope of supply: Carrying case

SOL Date: 15.07.2020

Scope of delivery:

1 ST Combi Laser GCL 2-50 G |

## PRODUCT DESCRIPTION

Combi Laser GCL 2-50 G, The jobsite-ready combi laser GCL 2-50 G Professional makes alignment and transfer simple. Stay focussed on the task thanks to durable design, featuring a rubberised housing for better protection of the recessed glasses and dust and splash water protection IP 64. The ON/OFF switch and one-button keypad make for ease of use. For starting right away, the GCLs laser receiver mode is always activated. Highly visible green laser lines and green plumb points give enhanced visibility in brighter environments. Fast and secure mounting thanks to the RM 10 Professional rotating mount with very strong magnets. The RM 10 Professional enables the precise positioning of laser lines around plumb points. The robust GCL 2-50 G Professional is ideal for many applications such as building framework for drywall, mounting sockets and doors, and point transfer for light mounting. The GCL 2-50 G Professional provides working range lines up to 15 m (dots: up to 10 m), expandable up to 50 m with the optional receiver LR 7 Professional. The RM 10 Professional is compatible with the optional DK 10 Professional ceiling clip for ceiling applications or fine height adjustments. Rotating Mount RM 10 Professional (0 601 092 A00); Ceiling Clip DK 10 Professional; Laser target plate; Pouch; 4 x 1.5 V LR6 battery (AA); Carrying case

Article ID: 0601066M02

## PRODUCT DATASHEET LEGAL NOTE



Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.