



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

## **ROBERT BOSCH POWER TOOLS GMBH CONCRETE DRILL BIT CYL-5. FOR ROTARY DRILLS/DRIVERS**

**SKU:** 3165140690430

Concrete drill bit CYL-5. For rotary  
drills/drivers

---

**Categories:** [Accessories for BOSCH professional](#), [Drilling](#)

**Product Features:** Diameter (D) mm: 8,00  
Working length (L1) mm: 100  
Total length (L2) mm: 150  
Benefit HL (short): Long Life for Concrete and Stone  
Performance Claim Text: Extra Long Life  
(Version) Key RTB: Bosch's carbide blend and diamond-ground cutting edges make the bit wear-resistant  
Specific RTB1: Reduced friction from 2-flute vario design providing dust removal and wear reduction  
Specific RTB2: Bosch Power Grip Shank System enables direct use of power  
Specific RTB3: PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings  
Material: Concrete  
Material: Solid brick  
Material: Soft stone  
Product text, Accessories grey: Pack of 1  
SOL Date: 01.09.2012  
Novelty: no

Scope of delivery:  
5 ST Concrete drill bit CYL-5. For rotary  
drills/drivers |









## PRODUCT DESCRIPTION

The CYL-5 Drill Bit guarantees extra-long durability when drilling concrete and stone. The combination of a carbide blend developed in-house by Bosch and diamond-ground cutting edges makes the bit extremely wear-resistant. Friction on the flute from drilled material is notably reduced thanks to a 2-flute vario design with a short, variable incline providing good dust removal and wear reduction. The Bosch Power Grip Shank System enables 100% power transfer from machine to drill bit. This allows a direct use of power for drilling with no power loss and thus less wear. For use when drilling holes for fixings in concrete, natural and artificial stone. As proof of quality, the drill bit bears the quality test mark of the PGM Masonry Drill Bit Association Board guaranteeing compliance with tight tolerances, exactly drilled holes and a firm hold on fixings.

Article ID: 2608588152

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.