



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CONCRETE GRINDER GBR 15 CAG

SKU: 3165140743389

Concrete Grinder GBR 15 CAG

Categories: BOSCH professional, Diamond

<u>technology</u>

Product Features: Packaging dimensions

(width): 360 mm

Packaging dimensions (length): 440 mm Packaging dimensions (height): 240 mm Packaging dimensions (width x length x

height): 360 x 440 x 240 mm Voltage range, from: 220 V Voltage range, up to: 240 V Voltage range: 220 - 240 V Rated input power: 1.500 W No-load speed, up to: 9.300 rpm No-load speed: 9,300 rpm Grinding spindle thread: M14 Main handle: Bow (rotating) Disc diameter: 125 mm

Grinding head, diameter: 125 mm Tool dimensions (width): 256 mm Tool dimensions (length): 370 mm Tool dimensions (height): 200 mm

Weight: 2,6 kg

Vibration emission value ah [Surface grinding

(roughing)]: 4,5 m/s²

Uncertainty K [Surface grinding (roughing)]:

1,5 m/s²

Product category subdivision: Concrete

Grinder

Positioning: Powerful concrete grinder with

flush-grinding capabilities

User benefit incl. Reason to believe: Highpowered 1,500 W motor enables a fast work

progress even under load

User benefit incl. Reason to believe: Ergonomically shaped grip and a low tool





weight for comfortable handling

User benefit incl. Reason to believe: Movable protective guard section for grinding close to edges

Positioning (BE): Powerful concrete grinding in all areas

User benefit incl. Reason to believe (BE): Powerful 1500 W motor for fast work progress even under load

User benefit incl. Reason to believe (BE): Grinding close to the edge: movable protective guard section enables grinding directly up to the edges of floors, walls and ceilings

User benefit incl. Reason to believe (BE): Click & Clean dust extraction system for virtually dust-free working; additionally with Click-Ring mount for all connections on the new Bosch M class dust extractors

Areas of application: Grinding concrete Areas of application: Sanding ferrous metals Areas of application: Sanding synthetic material

Areas of application: Sanding non-ferrous

Areas of application: Grinding stone Title: Concrete Grinder GBR 15 CAG

Professional Novelty: no

Scope of supply: 1 x diamond grinding head,

125 mm (2 608 601 762)

Scope of supply: 3 x replacement brush ring

(2 608 620 692)

Scope of supply: 1/1 L-BOXX inlay for tool

GBR 15 CAG

Scope of supply: L-BOXX 238 (1 600 A01 2G2) Scope of supply: Two-hole spanner, bent at

right angles (3 607 950 017) SOL Date: 01.02.2014

Scope of delivery:

1 ST Concrete Grinder GBR 15 CAG |

PRODUCT DESCRIPTION

Concrete Grinder GBR 15 CAG, The GBR 15 CAG Professional is a corded, powerful concrete grinder with





flush-grinding capabilities. Its high-powered 1,500 W motor enables a fast work progress even under load. Both its ergonomically shaped grip and a low tool weight ensure comfortable handling. This concrete grinder also includes a movable protective guard section for dust protection while grinding close to edges. This tool is intended for grinding in concrete. It is compatible with the Bosch Click & Clean dust extraction system. The GBR 15 CAG Professional operates at 9,000 rpm and includes features such as constant speed, restart protection, and soft start. 1 x diamond grinding head, 125 mm (2 608 601 762); 3 x replacement brush ring (2 608 620 692); 1/1 L-BOXX inlay for tool GBR 15 CAG; L-BOXX 238 (1 600 A01 2G2); Two-hole spanner, bent at right angles (3 607 950 017)

Article ID: 0601776001

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools