



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS ANGLE GRINDER BITURBO GWS 18V-15 PSC

SKU: 4059952610016

Cordless Angle Grinder BITURBO GWS 18V-15
PSC

Categories: [Angle grinder & metalworking](#),
[Battery-powered tools](#), [BOSCH professional](#),
[Networked products and services](#)

Product Features: Packaging dimensions
(width): 162 mm

Packaging dimensions (length): 379 mm

Packaging dimensions (height): 154 mm

Packaging dimensions (width x length x
height): 162 x 379 x 154 mm

Battery voltage: 18.0 V

No-load speed, from: 3.400 rpm

No-load speed, up to: 9.800 rpm

No-load speed: 3,400 - 9,800 rpm

Grinding spindle thread: M14

Bore size, diameter: 22,2 mm

Weight excl. battery: 2,3 kg

Grinding/cutting disc, diameter: 125 mm

Rubber backing pad, diameter: 125 mm

Speed output no-load, nominal max.: 11000
rpm

Uncertainty K [Surface grinding (roughing)]:
1,5 m/s²

Uncertainty K [Sanding with sanding sheet]:
1,5 m/s²

Product category subdivision: Cordless Angle
Grinder BITURBO

Positioning: Equal to corded 1,500 W: Angle
Grinder with PROtection switch and Speed
Selection

User benefit incl. Reason to believe: 1,500 W
BITURBO Brushless technology for fast
cutting and high material removal

User benefit incl. Reason to believe: Features



for high user protection: PROtection switch, Intelligent Brake System, and KickBack Control

User benefit incl. Reason to believe:

Individual speed level adjustment via App and user interface with active feedback

Positioning (BE): Equal to corded 1,500 W: Angle Grinder with PROtection switch and Speed Selection

User benefit incl. Reason to believe (BE):

1,500 W BITURBO Brushless technology for fast cutting and high material removal

User benefit incl. Reason to believe (BE): Features for high user protection: PROtection switch, Intelligent Brake System, and KickBack Control

User benefit incl. Reason to believe (BE):

Individual speed level adjustment via App and user interface with active feedback

Title: Cordless Angle Grinder BITURBO GWS 18V-15 PSC Professional

Novelty: yes

Novelty until: 01.12.2022

Scope of supply: Cardboard box

Scope of supply: Vibration Control auxiliary handle (2 608 900 000)

Scope of supply: Protective guard (1 605 510 365)

Scope of supply: Protective clip-on cutting guard metal (2 608 000 756)

Scope of supply: Quick-locking nut (2 608 000 684)

SOL Date: 01.09.2022

Scope of delivery:

1 ST Cordless Angle Grinder BITURBO GWS 18V-15 PSC |

PRODUCT DESCRIPTION

Cordless Angle Grinder BITURBO GWS 18V-15 PSC, With its BITURBO Brushless technology the GWS 18V-15 PSC Professional delivers the power that is needed for fast cutting and high material removal. Its features like PROtection switch, Intelligent Brake System, and KickBack Control enhance user protection. The small angle grinder is the handy solution with superior operation through its user interface with active feedback and individual speed setting via its App The GWS 18V-15 PSC Professional is strong in grinding metal or welding seams and for cutting metal, concrete, bricks, and tiles. It is compatible with all



Bosch Professional 18V batteries and chargers (Professional 18V System) - for maximum power use ProCORE18V 5.5 Ah. The angle grinder is also compatible with Boschs dust extraction systems GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. Restart Protection, Soft Start, Vibration Control side handle, and quick-clamping nut are additional features of the GWS 18V-15 PSC Professional. Cardboard box; Vibration Control auxiliary handle (2 608 900 000); Protective guard (1 605 510 365); Protective clip-on cutting guard metal (2 608 000 756); Quick-locking nut (2 608 000 684)

Article ID: 06019H6B00

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.