



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS ANGLE GRINDER BITURBO WITH X-LOCK GWX 18V-15 PSC

SKU: 4059952610061

Cordless Angle Grinder BITURBO with X-LOCK  
Gwx 18V-15 Psc

---

**Categories:** [Angle grinder & metalworking](#), [Battery-powered tools](#), [BOSCH professional](#), [Networked products and services](#)

**Product Features:** Packaging dimensions (width): 0 mm  
Packaging dimensions (length): 0 mm  
Packaging dimensions (height): 0 mm  
Packaging dimensions (width x length x height): 0 x 0 x 0 mm  
Battery voltage: 18.0 V  
No-load speed, from: 3,400 rpm  
No-load speed, up to: 9,800 rpm  
No-load speed: 3,400 - 9,800 rpm  
Grinding spindle thread: M14  
Bore size, diameter: 22,2 mm  
Weight excl. battery: 2,3 kg  
Grinding/cutting disc, diameter: 125 mm  
Rubber backing pad, diameter: 125 mm  
Speed output no-load, nominal max.: 11000 rpm  
Uncertainty K [Surface grinding (roughing)]: 1,5 m/s<sup>2</sup>  
Uncertainty K [Sanding with sanding sheet]: 1,5 m/s<sup>2</sup>  
Product category subdivision: Cordless Angle Grinder BITURBO with X-LOCK  
Positioning: As a corded 1,500 W Angle Grinder: X-LOCK, PROtection switch, and Speed Selection  
User benefit incl. Reason to believe: High material removing and fast cutting due to 1,500 W BITURBO Brushless technology  
User benefit incl. Reason to believe:



Enhanced user protection thanks to PROtection switch, super-fast X-Brake, and KickBack Control

User benefit incl. Reason to believe: Fast, easy, and convenient accessory change through keyless X-LOCK system

Positioning (BE): As a corded 1,500 W Angle Grinder: X-LOCK, PROtection switch, and Speed Selection

User benefit incl. Reason to believe (BE): High material removing and fast cutting due to 1,500 W BITURBO Brushless technology

User benefit incl. Reason to believe (BE): Enhanced user protection thanks to PROtection switch, super-fast X-Brake, and KickBack Control

User benefit incl. Reason to believe (BE): Fast, easy, and convenient accessory change through keyless X-LOCK system

Title: Cordless Angle Grinder BITURBO with X-LOCK GWX 18V-15 PSC Professional

Novelty: yes

Novelty until: 01.12.2022

Scope of supply: L-BOXX 136 (1 600 A01 2G0)

Scope of supply: 2 x battery ProCORE18V 8.0Ah (1 600 A01 6GK)

Scope of supply: Quick charger GAL 18V-160 C Professional (1 600 A01 9S5)

Scope of supply: Vibration Control auxiliary handle (2 608 900 000)

Scope of supply: Protective guard (1 605 510 365)

Scope of supply: Protective clip-on cutting guard metal (2 608 000 756)

SOL Date: 01.09.2022

Scope of delivery:

1 ST Cordless Angle Grinder BITURBO with X-LOCK GWX 18V-15 PSC |

## PRODUCT DESCRIPTION

Cordless Angle Grinder BITURBO with X-LOCK GWX 18V-15 PSC, Its BITURBO Brushless technology makes the GWX 18V-15 PSC Professional strong enough for fast cutting results and high material removal wherever its necessary. At the same time, its multiple functions like PROtection switch, super-fast X-Brake, and KickBack Control provide increased and high user protection thanks to the sensor-based,



mechanical, and electronic features. For more comfort, its keyless X-LOCK system makes accessory change faster, easier, and convenient. The GWX 18V-15 PSC Professional is best in grinding metal or welding seams and for cutting metal, concrete, bricks, and tiles. It is compatible with all Bosch Professional 18V batteries and chargers (Professional 18V System) - for maximum power use ProCORE18V 5.5 Ah. The angle grinder is also compatible with Boschs dust extraction systems GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional. Among the various advantages of the GWX 18V-15 PSC Professional are features such as User Interface, individual Speed Selection, Restart Protection, Soft Start, and Vibration Control side handle. L-BOXX 136 (1 600 A01 2G0); 2 x battery ProCORE18V 8.0Ah (1 600 A01 6GK); Quick charger GAL 18V-160 C Professional (1 600 A01 9S5); Vibration Control auxiliary handle (2 608 900 000); Protective guard (1 605 510 365); Protective clip-on cutting guard metal (2 608 000 756)

Article ID: 06019H6G01

#### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.