



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS ANGLE GRINDER GWS 18-125 V-LI

SKU: 3165140726399

Cordless Angle Grinder GWS 18-125 V-LI

Categories: [Angle grinder & metalworking](#), [Battery-powered tools](#), [BOSCH professional](#)

Product Features: Areas of application:
Brushing ferrous metals
Areas of application: Brushing non-ferrous metal
Areas of application: Dry drilling in stone
Title: Cordless Angle Grinder GWS 18-125 V-LI Professional
Novelty: no
Scope of supply: Auxiliary handle (1 602 025 024)
Scope of supply: Backing flange (spare part number 2 605 703 014)
Scope of supply: L-BOXX 136 (1 600 A01 2G0)
Scope of supply: Locking nut (1 603 340 040)
Scope of supply: Protective guard (1 619 P06 548)
Scope of supply: Two-hole spanner (spare part number 1 607 950 060)
Scope of supply: Two-hole spanner (1 607 950 043)
Scope of supply: 1/1 L-BOXX inlay for tool and charger (1 600 A00 2WH)
SOL Date: 01.02.2013
Packaging dimensions (width): 365 mm
Packaging dimensions (length): 444 mm
Packaging dimensions (height): 157 mm
Packaging dimensions (width x length x height): 365 x 444 x 157 mm
Battery voltage: 18.0 V
Weight incl. battery: 2,3 kg
No-load speed, up to: 11.000 rpm
No-load speed: 11,000 rpm



Grinding/cutting disc, diameter: 125 mm
Rubber backing pad, diameter: 125 mm
Vibration emission value a_h [Surface grinding (roughing)]: 6,0 m/s²

Uncertainty K [Surface grinding (roughing)]: 1,5 m/s²

Vibration emission value a_h [Sanding with sanding sheet]: 2,5 m/s²

Uncertainty K [Sanding with sanding sheet]: 1,5 m/s²

Product category subdivision: Cordless Angle Grinder

Positioning: Bosch's smallest and most lightweight angle grinder in the 18 V category

User benefit incl. Reason to believe: Delivers power equal to 800 W corded grinder due to high-performance 4-pole motor

User benefit incl. Reason to believe: Low weight of 2.3 kg and compact housing design are optimised for overhead working and operating in tight spaces

User benefit incl. Reason to believe: Full compatibility to all Bosch Professional 18 V batteries and chargers enables various options

Positioning (BE): The most powerful 18 Volt angle grinder

User benefit incl. Reason to believe (BE): Highest material removal rate and cutting performance in its class per battery charge

User benefit incl. Reason to believe (BE): Extremely robust and durable 4-pole high-performance motor for a long lifetime

User benefit incl. Reason to believe (BE): Compact design and low weight (only 2.3 kg) for comfortable working, especially in tight spaces and overhead

Areas of application: Cutting concrete

Areas of application: Cutting ferrous metals

Areas of application: Cutting wood

Areas of application: Cutting synthetic material

Areas of application: Cutting solid surface material

Areas of application: Cutting non-ferrous metal

Areas of application: Cutting stone

Areas of application: Sanding ferrous metals



Areas of application: Sanding non-ferrous metal

Areas of application: Grinding ferrous metals

Areas of application: Grinding stone

Areas of application: Brushing coating material

Scope of delivery:

1 ST Cordless Angle Grinder GWS 18-125 V-LI

|

PRODUCT DESCRIPTION

Cordless Angle Grinder GWS 18-125 V-LI, The GWS 18-125 V-LI Professional cordless small angle grinder is Bosch's smallest and most lightweight in the 18 V category. It delivers power equal to a 800 W corded grinder due to its high-performance 4-pole motor. With its low weight of only 2.3 kg and its compact housing design, the grinder is optimised for overhead working and operating in tight spaces. Its full compatibility to all Bosch Professional 18 V batteries and chargers enables various options. This tool is intended for cutting and grinding metal, tiles, and bricks. It is compatible with dust attachment GDE 125 EA-S Professional as well as all Bosch Professional 18 V batteries and chargers (Professional 18V System). The GWS 18-125 V-LI Professional also features a protection guard and restart protection. Auxiliary handle (1 602 025 024); Backing flange (spare part number 2 605 703 014); L-BOXX 136 (1 600 A01 2G0); Locking nut (1 603 340 040); Protective guard (1 619 P06 548); Two-hole spanner (spare part number 1 607 950 060); Two-hole spanner (1 607 950 043); 1/1 L-BOXX inlay for tool and charger (1 600 A00 2WH)

Article ID: 060193A308

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.