Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS ANGLE GRINDER GWX 18V-10

SKU: 4059952549538

Cordless Angle Grinder GWX 18V-10

Categories: Angle grinder & metalworking, Battery-powered tools, BOSCH professional

Product Features: Packaging dimensions (width): 360 mm
Packaging dimensions (length): 440 mm
Packaging dimensions (height): 155 mm
Packaging dimensions (width x length x height): 360 x 440 x 155 mm
Battery voltage: 18.0 V
No-load speed, up to: 9.000 rpm
No-load speed: 9,000 rpm
Weight excl. battery: 2 kg
Grinding/cutting disc, diameter: 125 mm
Vibration emission value ah [Surface grinding (roughing)]: 6,0 m/s²
Uncertainty K [Surface grinding (roughing)]: 1,5 m/s²
Vibration emission value ah [Sanding with sanding sheet]: 3,5 m/s²
Uncertainty K [Sanding with sanding sheet]: 1,5 m/s²
Product category subdivision: Cordless Angle Grinder
Positioning: Improved power level and tool control in the 18 V category - with X-LOCK
User benefit incl. Reason to believe: Delivers power equal to a 1,000 W corded grinder due to brushless motor and ProCORE18V battery technology
User benefit incl. Reason to believe: Changing accessories is fast and convenient thanks to keyless X-LOCK click system
User benefit incl. Reason to believe: Drop Control, KickBack Control, and X-Brake

Copyright © 2023 Actik Tools All rights reserved

provide maximum user protection and convenience
Positioning (BE): Improved power level and tool control in the 18 V category - with X-LOCK
User benefit incl. Reason to believe (BE): Delivers power equal to a 1,000 W corded grinder due to brushless motor and ProCORE18V battery technology
User benefit incl. Reason to believe (BE): Changing accessories is fast and convenient thanks to keyless X-LOCK click system
User benefit incl. Reason to believe (BE): Drop Control, KickBack Control, and X-Brake provide maximum user protection and convenience
Areas of application: Cutting concrete
Areas of application: Cutting ferrous metals
Areas of application: Cutting wood
Areas of application: Cutting synthetic material
Areas of application: Cutting non-ferrous metal
Areas of application: Cutting stone
Areas of application: Sanding ferrous metals
Areas of application: Sanding non-ferrous metal
Areas of application: Brushing coating material
Areas of application: Brushing ferrous metals
Areas of application: Brushing non-ferrous metal
Areas of application: Dry drilling in stone
Title: Cordless Angle Grinder GWX 18V-10 Professional
Novelty: no
Novelty until: 01.07.2020
Scope of supply: 1/1 L-BOXX inlay for tool and charger (1 600 A01 166)
Scope of supply: L-BOXX 136 (1 600 A01 2G0)
Scope of supply: Protective guard (1 605 510 365)
Scope of supply: Auxiliary handle (1 602 025 024)
SOL Date: 01.01.2020

Scope of delivery:

Copyright © 2023 Actik Tools All rights reserved

PRODUCT DESCRIPTION

Cordless Angle Grinder GWX 18V-10, The GWX 18V-10 Professional cordless small angle grinder with X-LOCK offers an improved level of power and tool control in the 18 V category. It delivers cordless power equal to a 1,000 W corded grinder thanks to its powerful brushless motor and ProCORE18V technology. This small angle grinder comes with a keyless X-LOCK click system that enables fast and convenient accessory changes. Furthermore, it features Drop Control, KickBack Control, and X-Brake, providing maximum user protection and convenience. The tool is intended for cutting and grinding metal, stone, and concrete. It is compatible with dust attachments GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional, as well as with all Bosch Professional 18 V batteries and chargers (Professional 18V System). The GWX 18V-10 Professional also features protection guard, and a Vibration Control handle. 1/1 L-BOXX inlay for tool and charger (1 600 A01 166); L-BOXX 136 (1 600 A01 2G0); Protective guard (1 605 510 365); Auxiliary handle (1 602 025 024)

Article ID: 06017B0101

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved