



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.

ROBERT BOSCH POWER TOOLS GMBH CORDLESS ANGLE GRINDER GWX 18V-10

SKU: 4059952529530

Cordless Angle Grinder GWX 18V-10



Categories: [Angle grinder & metalworking](#), [Battery-powered tools](#), [BOSCH professional](#)

Product Features: Packaging dimensions (width): 135 mm
Packaging dimensions (length): 390 mm
Packaging dimensions (height): 70 mm
Packaging dimensions (width x length x height): 135 x 390 x 70 mm
Battery voltage: 18.0 V
No-load speed, up to: 9.000 rpm
No-load speed: 9,000 rpm
Weight excl. battery: 2 kg
Grinding/cutting disc, diameter: 125 mm
Vibration emission value ah [Surface grinding (roughing)]: 6,0 m/s²
Uncertainty K [Surface grinding (roughing)]: 1,5 m/s²
Vibration emission value ah [Sanding with sanding sheet]: 3,5 m/s²
Uncertainty K [Sanding with sanding sheet]: 1,5 m/s²
Product category subdivision: Cordless Angle Grinder
Positioning: Improved power level and tool control in the 18 V category - with X-LOCK
User benefit incl. Reason to believe: Delivers power equal to a 1,000 W corded grinder due to brushless motor and ProCORE18V battery technology
User benefit incl. Reason to believe: Changing accessories is fast and convenient thanks to keyless X-LOCK click system
User benefit incl. Reason to believe: Drop Control, KickBack Control, and X-Brake



provide maximum user protection and convenience

Positioning (BE): Improved power level and tool control in the 18 V category - with X-LOCK

User benefit incl. Reason to believe (BE): Delivers power equal to a 1,000 W corded grinder due to brushless motor and ProCORE18V battery technology

User benefit incl. Reason to believe (BE): Changing accessories is fast and convenient thanks to keyless X-LOCK click system

User benefit incl. Reason to believe (BE): Drop Control, KickBack Control, and X-Brake provide maximum user protection and convenience

Areas of application: Cutting concrete

Areas of application: Cutting ferrous metals

Areas of application: Cutting wood

Areas of application: Cutting synthetic material

Areas of application: Cutting non-ferrous metal

Areas of application: Cutting stone

Areas of application: Sanding ferrous metals

Areas of application: Sanding non-ferrous metal

Areas of application: Brushing coating material

Areas of application: Brushing ferrous metals

Areas of application: Brushing non-ferrous metal

Areas of application: Dry drilling in stone

Title: Cordless Angle Grinder GWX 18V-10 Professional

Novelty: no

Novelty until: 01.07.2020

Scope of supply: Cardboard box

Scope of supply: Protective guard (1 605 510 365)

Scope of supply: Auxiliary handle (1 602 025 024)

SOL Date: 01.01.2020

Scope of delivery:

1 ST Cordless Angle Grinder GWX 18V-10 |



PRODUCT DESCRIPTION

Cordless Angle Grinder GWX 18V-10, The GWX 18V-10 Professional cordless small angle grinder with X-LOCK offers an improved level of power and tool control in the 18 V category. It delivers cordless power equal to a 1,000 W corded grinder thanks to its powerful brushless motor and ProCORE18V technology. This small angle grinder comes with a keyless X-LOCK click system that enables fast and convenient accessory changes. Furthermore, it features Drop Control, KickBack Control, and X-Brake, providing maximum user protection and convenience. The tool is intended for cutting and grinding metal, stone, and concrete. It is compatible with dust attachments GDE 125 EA-T Professional and GDE 115 / 125 FC-T Professional, as well as with all Bosch Professional 18 V batteries and chargers (Professional 18V System). The GWX 18V-10 Professional also features protection guard, and a Vibration Control handle. Cardboard box; Protective guard (1 605 510 365); Auxiliary handle (1 602 025 024)

Article ID: 06017B0100

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.