



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS ANGLE GRINDER GWX 18V-7

SKU: 4059952569000

Cordless Angle Grinder GWX 18V-7

Categories: [Angle grinder & metalworking](#), [Battery-powered tools](#), [BOSCH professional](#)

Product Features: Packaging dimensions (width): 360 mm

Packaging dimensions (length): 444 mm

Packaging dimensions (height): 140 mm

Packaging dimensions (width x length x height): 360 x 444 x 140 mm

Battery voltage: 18.0 V

Weight incl. battery: 2,2 kg

No-load speed, up to: 11.000 rpm

No-load speed: 11,000 rpm

Weight excl. battery: 1,6 kg

Grinding/cutting disc, diameter: 115 mm

Product category subdivision: Cordless Angle Grinder

Positioning: Fast accessory change & compact design: strong cutting with X-LOCK

User benefit incl. Reason to believe: Strong brushless motor provides equal of 700 W output from a corded tool

User benefit incl. Reason to believe: Changing accessories is fast and convenient thanks to keyless X-LOCK click system

User benefit incl. Reason to believe:

Lightweight design and the slim grip size for convenient and versatile cutting

Positioning (BE): Fast accessory change & compact design: strong cutting with X-LOCK

User benefit incl. Reason to believe (BE):

Strong brushless motor provides equal of 700 W output from a corded tool

User benefit incl. Reason to believe (BE):

Changing accessories is fast and convenient



thanks to keyless X-LOCK click system
User benefit incl. Reason to believe (BE):
Lightweight design and the slim grip size for convenient and versatile cutting
Areas of application: Cutting concrete
Areas of application: Cutting ferrous metals
Areas of application: Cutting wood
Areas of application: Cutting synthetic material
Areas of application: Cutting non-ferrous metal
Areas of application: Cutting stone
Areas of application: Sanding ferrous metals
Areas of application: Sanding non-ferrous metal
Areas of application: Brushing coating material
Areas of application: Brushing ferrous metals
Areas of application: Brushing non-ferrous metal
Areas of application: Dry drilling in stone
Title: Cordless Angle Grinder GWX 18V-7 Professional
Novelty: no
Novelty until: 01.08.2021
Scope of supply: Auxiliary handle (1 602 025 024)
Scope of supply: Protective guard (1 605 510 364)
Scope of supply: L-BOXX 136 (1 600 A01 2G0)
Scope of supply: 1/1 L-BOXX inlay for tool and charger (1 600 A00 2WH)
SOL Date: 01.01.2021

Scope of delivery:
1 ST Cordless Angle Grinder GWX 18V-7 |

PRODUCT DESCRIPTION

Cordless Angle Grinder GWX 18V-7, The GWX 18V-7 Professional cordless angle grinder is Bosch's solution for compact and handy cutting with solid 18 V performance and the X-LOCK system. Its brushless motor provides the equal of 700 W output from a corded angle grinder for reliable working. Thanks to the keyless X-LOCK system, accessory changes are completed in a flash, so that users can focus on what really matters: the task at hand. The GWX 18V-7s lightweight design and the slim grip size enable convenient and versatile cutting. This angle grinder is ideal for all cutting tasks in metal, tiles, or bricks. It is compatible with X-LOCK accessories, all Bosch Professional 18 V batteries and chargers, and Boschs



dust extractor GDE 115/125 FC-T Professional as well as GDE 125 EA-T Professional. Auxiliary handle (1 602 025 024); Protective guard (1 605 510 364); L-BOXX 136 (1 600 A01 2G0); 1/1 L-BOXX inlay for tool and charger (1 600 A00 2WH)

Article ID: 06019H9104

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.