



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS COMBI GSB 12V-15

SKU: 3165140773287

Cordless Combi GSB 12V-15

Categories: <u>Battery-powered tools</u>, <u>BOSCH</u> <u>professional</u>, <u>Drills & percussion drills</u>

Product Features: Torque (soft): 15 Nm Battery voltage: 12.0 V Tool dimensions (height): 178 mm Packaging dimensions (width): 360 mm Packaging dimensions (length): 440 mm Packaging dimensions (height): 115 mm Packaging dimensions (width x length x height): 360 x 440 x 115 mm Max. drilling diameter in wood: 19 mm Weight incl. battery: 1,0 kg Torque (hard): 30 Nm Torque (soft/hard/max.): -/30/- Nm No-load speed, 1st gear, from: 0 rpm No-load speed, 1st gear, up to: 380 rpm No-load speed, 2nd gear, from: 0 rpm No-load speed, 2nd gear, up to: 1.300 rpm No-load speed (1st gear / 2nd gear): 0 - 380 / 0 - 1,300 rpm Max. impact rate: 19.500 bpm Chuck capacity, min.: 1 mm Chuck capacity, max.: 10 mm Chuck capacity, min./max.: 1 / 10 mm Torque settings (standard): 20 Torque settings (additional): 1 Torque settings: 20+1 Max. drilling diameter in steel: 10 mm Max. drilling diameter in masonry: 10 mm Max. screw diameter: 7 mm Vibration emission value ah [Drilling in metal]: 2,5 m/s² Uncertainty K [Drilling in metal]: 1,5 m/s² Vibration emission value ah [Impact drilling in masonry]: 10,5 m/s²





Uncertainty K [Impact drilling in masonry]: 1,5 m/s²

Product category subdivision: Cordless Combi

Positioning: Drill driver with the best powerto-size ratio in Boschs 12 V category - with impact drilling function

Long version part 1: The GSB 12V-15 Professional cordless drill driver with impact drilling function offers the best power-tosize ratio in Bosch's 12 V category. With 30 Nm of hard torgue and 0-1,300 rpm, the drill driver features an ideal combination of power and size. Its compact design allows for optimum handling and makes it ideal for working overhead and in tight spaces. Overload, overheating, and deep discharge are prevented by the drill driver's Electronic Cell Protection. When using the impact drilling function, this tool is intended for drilling in wood with a maximum diameter of 19 mm, in steel and masonry up to 10 mm, and for screw diameters of up to 7 mm. It is compatible with all Bosch Professional 12 V batteries and chargers (Professional 12V System).

Long version part 2: The GSB 12V-15 Professional also features 2-gear, Autolock, charge level indicator, Electronic Motor Protection, and Li-ion.

User benefit incl. Reason to believe: 30 Nm hard torque and 0-1,300 rpm offer an ideal combination of power and size User benefit incl. Reason to believe: Compactness enables optimum handling and makes it ideal for working overhead and in tight spaces

User benefit incl. Reason to believe: Electronic Cell Protection prevents overload, overheating, and deep discharge Positioning (BE): The shortest 12 volt powerhouse with impact drilling function User benefit incl. Reason to believe (BE): At 189 mm it has the shortest design in its class for optimum handling, especially when performing drilling and screwdriving applications overhead and in tight spaces User benefit incl. Reason to believe (BE):





Newly developed 2-speed planetary gearbox for powerful screwdriving and drilling applications in wood and metal, and impact drilling in masonry User benefit incl. Reason to believe (BE): Professional quality 10 mm Auto-Lock drill chuck Areas of application: Drilling in concrete Areas of application: Drilling in ferrous metals Areas of application: Drilling in wood Areas of application: Drilling in synthetic material Areas of application: Drilling in non-ferrous metal Areas of application: Drilling in stone Areas of application: Wet drilling in concrete Areas of application: Wet drilling in stone Areas of application: Dry drilling in stone Areas of application: Screwdriving Areas of application: Brushing coating material Areas of application: Brushing ferrous metals Areas of application: Brushing wood Areas of application: Brushing non-ferrous metal Title: Cordless Combi GSB 12V-15 Professional Novelty: no Novelty until: 01.07.2017 Scope of supply: Holster (1 600 Z00 01U) Scope of supply: L-BOXX 102 (1 600 A01 2FZ) Scope of supply: 1/2 L-BOXX inlay for tool and charger (1 600 A00 2UV) Scope of supply: 1/2 L-BOXX inlay for accessories (1 600 A00 2WY) SOL Date: 01.01.2017

Scope of delivery: 1 ST Cordless Combi GSB 12V-15 |

PRODUCT DESCRIPTION

Cordless Combi GSB 12V-15, The GSB 12V-15 Professional cordless drill driver with impact drilling function offers the best power-tosize ratio in Bosch's 12 V category. With 30 Nm of hard torque and 0-1,300 rpm, the drill driver features an ideal combination of power and size. Its compact design allows for optimum handling and makes it ideal for working overhead and in tight spaces. Overload,





overheating, and deep discharge are prevented by the drill driver's Electronic Cell Protection. When using the impact drilling function, this tool is intended for drilling in wood with a maximum diameter of 19 mm, in steel and masonry up to 10 mm, and for screw diameters of up to 7 mm. It is compatible with all Bosch Professional 12 V batteries and chargers (Professional 12V System). The GSB 12V-15 Professional also features 2-gear, Autolock, charge level indicator, Electronic Motor Protection, and Li-ion. Holster (1 600 Z00 01U); L-BOXX 102 (1 600 A01 2FZ); 1/2 L-BOXX inlay for tool and charger (1 600 A00 2UV); 1/2 L-BOXX inlay for accessories (1 600 A00 2WY)

Article ID: 06019B690E

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.