Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS COMBI GSB 18V-90 C

SKU: 4059952617350

Cordless Combi GSB 18V-90 C

Categories: Battery-powered tools, BOSCH professional, Networked products and services

Product Features: Tool dimensions (height): 210 mm
Packaging dimensions (width): 357 mm
Packaging dimensions (length): 442 mm
Packaging dimensions (height): 151 mm
Packaging dimensions (width x length x height): 357 x 442 x 151 mm
Max. drilling diameter in wood: 68 mm
Battery voltage: 18.0 V
Torque (soft): 36 Nm
Torque (hard): 64 Nm
Torque (soft/hard/max.): 36/64/- Nm
No-load speed, 1st gear, from: 0 rpm
No-load speed, 1st gear, up to: 630 rpm
No-load speed, 2nd gear, from: 0 rpm
No-load speed, 2nd gear, up to: 2.100 rpm
No-load speed (1st gear / 2nd gear): 0 - 630 / 0 - 2,100 rpm
Chuck capacity, min.: 1,5 mm
Chuck capacity, max.: 13 mm
Chuck capacity, min./max.: 1.5 / 13 mm
Weight excl. battery: 1,2 kg
Torque settings (standard): 21
Torque settings: 21
Max. drilling diameter in steel: 13 mm
Max. screw diameter: 12 mm
Vibration emission value ah [Drilling in metal]: 1,5 m/s²
Uncertainty K [Drilling in metal]: 1,2 m/s²
Vibration emission value ah [Impact drilling in masonry]: 11,8 m/s²
Uncertainty K [Impact drilling in masonry]:

Copyright © 2023 Actik Tools All rights reserved

1,5 m/s²
Product category subdivision: Cordless Combi
Positioning: Powerful cordless impact drill with compact head length and perfect tool control
Long version part 1: The GSB 18V-90 C Professional is a powerful cordless impact drill with a brushless motor that delivers top performance with 64 Nm and 2,100 rpm. Its compact head length of 175 mm provides perfect tool handiness. The robust 13-mm metal chuck ensures great torque transfer for every job. The impact drill holds a very high level of tool control for both, increased user health and tool protection: The HMI offers switchable Kickback Control to reduce the risk of sudden rotational torque reaction in a bind-up scenario. A switchable Precision Clutch stops the overriding once a preset torque level is reached and, thus, reduces the wear and tear of the clutch and the resulting noise.
Long version part 2: The tool is intended for drilling in wood with a maximum diameter of 68 mm and in steel and masonry with up to 13 mm each. The GSB 18V-90 C Professional is compatible with all Bosch Professional 18V batteries and chargers (Professional 18V System).
User benefit incl. Reason to believe: Powerful brushless motor delivers high power with 64 Nm and 2,100 rpm maximising your efficiency on the job site
User benefit incl. Reason to believe: 13-mm metal chuck ensures increased robustness and great torque transfer for every job
User benefit incl. Reason to believe: Switchable Kickback Control and switchable Precision Clutch ensure perfect control and high protection for user and tool
Positioning (BE): Powerful cordless impact drill with compact head length and perfect tool control
Long version part 1 (BE): The GSB 18V-90 C Professional is a powerful cordless impact drill with a brushless motor that delivers top performance with 64 Nm and 2,100 rpm. Its

Copyright © 2023 Actik Tools All rights reserved

compact head length of 175 mm provides perfect tool handiness. The robust 13-mm metal chuck ensures great torque transfer for every job. The impact drill holds a very high level of tool control for both, increased user health and tool protection: The HMI offers switchable Kickback Control to reduce the risk of sudden rotational torque reaction in a bind-up scenario. A switchable Precision Clutch stops the overriding once a preset torque level is reached and, thus, reduces the wear and tear of the clutch and the resulting noise.
Long version part 2 (BE): The tool is intended for drilling in wood with a maximum diameter of 68 mm and in steel and masonry with up to 13 mm each. The GSB 18V-90 C Professional is compatible with all Bosch Professional 18V batteries and chargers (Professional 18V System).
User benefit incl. Reason to believe (BE): Powerful brushless motor delivers high power with 64 Nm and 2,100 rpm maximising your efficiency on the job site
User benefit incl. Reason to believe (BE): 13-mm metal chuck ensures increased robustness and great torque transfer for every job
User benefit incl. Reason to believe (BE): Switchable Kickback Control and switchable Precision Clutch ensure perfect control and high protection for user and tool
Title: Cordless Combi GSB 18V-90 C Professional
Novelty: yes
Novelty until: 01.12.2022
Scope of supply: L-BOXX 136 (1 600 A01 2G0)
Scope of supply: 1/1 L-BOXX inlay for tool (1 600 A02 K83)
Scope of supply: 2 x battery GBA 18V 5.0Ah (1 600 A00 2U5)
Scope of supply: Quick charger GAL 18V-40 Professional (1 600 A01 9RJ)
SOL Date: 01.09.2022

Scope of delivery:

Copyright © 2023 Actik Tools All rights reserved

PRODUCT DESCRIPTION

Cordless Combi GSB 18V-90 C, The GSB 18V-90 C Professional is a powerful cordless impact drill with a brushless motor that delivers top performance with 64 Nm and 2,100 rpm. Its compact head length of 175 mm provides perfect tool handiness. The robust 13-mm metal chuck ensures great torque transfer for every job. The impact drill holds a very high level of tool control for both, increased user health and tool protection: The HMI offers switchable Kickback Control to reduce the risk of sudden rotational torque reaction in a bind-up scenario. A switchable Precision Clutch stops the overriding once a preset torque level is reached and, thus, reduces the wear and tear of the clutch and the resulting noise. The tool is intended for drilling in wood with a maximum diameter of 68 mm and in steel and masonry with up to 13 mm each. The GSB 18V-90 C Professional is compatible with all Bosch Professional 18V batteries and chargers (Professional 18V System). L-BOXX 136 (1 600 A01 2G0); 1/1 L-BOXX inlay for tool (1 600 A02 K83); 2 x battery GBA 18V 5.0Ah (1 600 A00 2U5); Quick charger GAL 18V-40 Professional (1 600 A01 9RJ)

Article ID: 06019K6106

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.

Copyright © 2023 Actik Tools All rights reserved