



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS DRILL/DRIVER GSR 12V-35

SKU: 3165140953696

Cordless Drill/Driver GSR 12V-35

Categories: [Battery-powered tools](#), [BOSCH professional](#)

**Product Features:** Battery voltage: 12.0 V  
Packaging dimensions (width): 249 mm  
Packaging dimensions (length): 335 mm  
Packaging dimensions (height): 80 mm  
Packaging dimensions (width x length x height): 249 x 335 x 80 mm  
Max. drilling diameter in wood: 32 mm  
Torque (soft): 20 Nm  
Torque (hard): 35 Nm  
Torque (soft/hard/max.): 20/35/- Nm  
Battery type: Lithium-ion  
No-load speed, 1st gear, from: 0 rpm  
No-load speed, 1st gear, up to: 460 rpm  
No-load speed, 2nd gear, from: 0 rpm  
No-load speed, 2nd gear, up to: 1.750 rpm  
No-load speed (1st gear / 2nd gear): 0 - 460 / 0 - 1,750 rpm  
Chuck capacity, min.: 10 mm  
Chuck capacity, min./max.: 10 mm  
Weight excl. battery: 0,75 kg  
Torque settings (standard): 20  
Torque settings (additional): 1  
Torque settings: 20+1  
Max. drilling diameter in steel: 10 mm  
Max. screw diameter: 8 mm  
Vibration emission value ah [Drilling in metal]: 2,5 m/s<sup>2</sup>  
Uncertainty K [Drilling in metal]: 1,5 m/s<sup>2</sup>  
Vibration emission value ah [Screwdriving]: 2,5 m/s<sup>2</sup>  
Uncertainty K [Screwdriving]: 1,5 m/s<sup>2</sup>  
Product category subdivision: Cordless Drill/Driver



Positioning: The drill driver with the best performance and compactness in the 12V category

Long version part 1: The GSR 12V-35 Professional cordless drill driver offers the best performance and compactness in the 12V category. The drill driver's compact design enables optimum handling, especially when working overhead or in tight spaces. Its 35 Nm hard torque and 0-1,750 rpm, as well as its short head length of 154 mm, offer the best performance-to-size ratio, making it the smallest yet most powerful 12V drill driver. Its brushless motor along with Electronic Motor Protection prevents overload and ensures a longer tool lifetime. .

Long version part 2: This drill driver is intended for drilling in wood with a maximum diameter of 32 mm, in steel up to 10 mm, and for screw diameters of up to 8 mm. It is compatible with all Bosch Professional 12V batteries and chargers (Professional 12V System).

Long version part 3: The GSR 12V-35 Professional also features 2-gear, Autolock, belt clip/hook, bit holder, charge level indicator, Electronic Cell Protection, LED light, Li-ion, right-left rotation, and speed selection. User benefit incl. Reason to believe: Compact design enables optimum handling, especially when working overhead or in tight spaces

User benefit incl. Reason to believe: Best performance-to-size ratio: 35 Nm hard torque, 0-1,750 rpm, 154-mm head length

User benefit incl. Reason to believe: Brushless motor along with Electronic Motor Protection prevents overload and ensures a longer tool lifetime

Positioning (BE): The drill driver with the best performance and compactness in the 12V category

Long version part 1 (BE): The GSR 12V-35 Professional cordless drill driver offers the best performance and compactness in the 12V category. The drill driver's compact design enables optimum handling, especially when working overhead or in tight spaces. Its 35 Nm hard torque and 0-1,750 rpm, as well



as its short head length of 154 mm, offer the best performance-to-size ratio, making it the smallest yet most powerful 12V drill driver. Its brushless motor along with Electronic Motor Protection prevents overload and ensures a longer tool lifetime.

Long version part 2 (BE): This drill driver is intended for drilling in wood with a maximum diameter of 32 mm, in steel up to 10 mm, and for screw diameters of up to 8 mm. It is compatible with all Bosch Professional 12V batteries and chargers (Professional 12V System).

User benefit incl. Reason to believe (BE): Compact design enables optimum handling, especially when working overhead or in tight spaces

User benefit incl. Reason to believe (BE): Best performance-to-size ratio: 35 Nm hard torque, 0-1,750 rpm, 154-mm head length

User benefit incl. Reason to believe (BE): Brushless motor along with Electronic Motor Protection prevents overload and ensures a longer tool lifetime

Title: Cordless Drill/Driver GSR 12V-35 Professional

Novelty: no

Novelty until: 17.11.2019

Scope of supply: Cardboard box

SOL Date: 01.06.2019

Scope of delivery:

1 ST Cordless Drill/Driver GSR 12V-35 |

## PRODUCT DESCRIPTION

Cordless Drill/Driver GSR 12V-35, The GSR 12V-35 Professional cordless drill driver offers the best performance and compactness in the 12V category. The drill driver's compact design enables optimum handling, especially when working overhead or in tight spaces. Its 35 Nm hard torque and 0-1,750 rpm, as well as its short head length of 154 mm, offer the best performance-to-size ratio, making it the smallest yet most powerful 12V drill driver. Its brushless motor along with Electronic Motor Protection prevents overload and ensures a longer tool lifetime. . This drill driver is intended for drilling in wood with a maximum diameter of 32 mm, in steel up to 10 mm, and for screw diameters of up to 8 mm. It is compatible with all Bosch Professional 12V batteries and chargers (Professional 12V System). The GSR 12V-35 Professional also features 2-gear, Autolock, belt clip/hook, bit holder, charge level indicator, Electronic Cell Protection, LED light, Li-ion, right-left rotation, and speed selection. Cardboard box



Article ID: 06019H8000

**PRODUCT DATASHEET LEGAL NOTE**

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.