



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS DRILL/DRIVER GSR 18V-90 C

SKU: 4059952617251

Cordless Drill/Driver GSR 18V-90 C

**Categories:** [Battery-powered tools](#), [BOSCH professional](#), [Drills & percussion drills](#), [Networked products and services](#)

### **Product Features:** Tool dimensions (height):

210 mm

Packaging dimensions (width): 357 mm

Packaging dimensions (length): 442 mm

Packaging dimensions (height): 151 mm

Packaging dimensions (width x length x height): 357 x 442 x 151 mm

Max. drilling diameter in wood: 68 mm

Battery voltage: 18.0 V

Torque (soft): 36 Nm

Torque (hard): 64 Nm

Torque (soft/hard/max.): 36/64/- Nm

No-load speed, 1st gear, from: 0 rpm

No-load speed, 1st gear, up to: 630 rpm

No-load speed, 2nd gear, from: 0 rpm

No-load speed, 2nd gear, up to: 2.100 rpm

No-load speed (1st gear / 2nd gear): 0 - 630 / 0 - 2,100 rpm

Chuck capacity, min.: 1,5 mm

Chuck capacity, max.: 13 mm

Chuck capacity, min./max.: 1.5 / 13 mm

Weight excl. battery: 1,1 kg

Torque settings (standard): 21

Torque settings: 21

Max. drilling diameter in steel: 13 mm

Max. screw diameter: 12 mm

Vibration emission value ah [Drilling in metal]: 1,6 m/s<sup>2</sup>

Uncertainty K [Drilling in metal]: 1,5 m/s<sup>2</sup>

Product category subdivision: Cordless Drill/Driver

Positioning: Powerful cordless drill driver



with compact head length and perfect tool control

Long version part 1: The GSR 18V-90 C Professional is a powerful cordless drill driver with a brushless motor that delivers top performance with 64 Nm and 2,100 rpm. Its compact head length of 163mm provides perfect tool handiness. The robust 13-mm metal chuck ensures great torque transfer for every job. The drill driver holds a very high level of tool control for both, increased user health and tool protection: The HMI offers switchable Kickback Control to reduce the risk of sudden rotational torque reaction in a bind-up scenario. A switchable Precision Clutch stops the overriding once a preset torque level is reached and, thus, reduces the wear and tear of the clutch and the resulting noise.

Long version part 2: The tool is intended for drilling in wood with a maximum diameter of 68 mm and in steel with a diameter of up to 13 mm. The GSR 18V-90 C Professional is compatible with all Bosch Professional 18V batteries and chargers (Professional 18V System).

User benefit incl. Reason to believe: Powerful brushless motor delivers high power with 64 Nm and 2,100 rpm maximising your efficiency on the job site

User benefit incl. Reason to believe: 13-mm metal chuck ensures increased robustness and great torque transfer for every job

User benefit incl. Reason to believe: Switchable Kickback Control and switchable Precision Clutch ensure perfect control and high protection for user and tool

Positioning (BE): Powerful cordless drill driver with compact head length and perfect tool control

Long version part 1 (BE): The GSR 18V-90 C Professional is a powerful cordless drill driver with a brushless motor that delivers top performance with 64 Nm and 2,100 rpm. Its compact head length of 163mm provides perfect tool handiness. The robust 13-mm metal chuck ensures great torque transfer for every job. The drill driver holds a very



high level of tool control for both, increased user health and tool protection: The HMI offers switchable Kickback Control to reduce the risk of sudden rotational torque reaction in a bind-up scenario. A switchable Precision Clutch stops the overriding once a preset torque level is reached and, thus, reduces the wear and tear of the clutch and the resulting noise.

Long version part 2 (BE): The tool is intended for drilling in wood with a maximum diameter of 68 mm and in steel with a diameter of up to 13 mm. The GSR 18V-90 C Professional is compatible with all Bosch Professional 18V batteries and chargers (Professional 18V System).

User benefit incl. Reason to believe (BE): Powerful brushless motor delivers high power with 64 Nm and 2,100 rpm maximising your efficiency on the job site

User benefit incl. Reason to believe (BE): 13-mm metal chuck ensures increased robustness and great torque transfer for every job

User benefit incl. Reason to believe (BE): Switchable Kickback Control and switchable Precision Clutch ensure perfect control and high protection for user and tool

Title: Cordless Drill/Driver GSR 18V-90 C Professional

Novelty: yes

Novelty until: 01.12.2022

Scope of supply: L-BOXX 136 (1 600 A01 2G0)

Scope of supply: 1/1 L-BOXX inlay for tool (1 600 A02 K83)

Scope of supply: 2 x battery GBA 18V 5.0Ah (1 600 A00 2U5)

Scope of supply: Quick charger GAL 18V-40 Professional (1 600 A01 9RJ)

SOL Date: 01.09.2022

Scope of delivery:

1 ST Cordless Drill/Driver GSR 18V-90 C |

## PRODUCT DESCRIPTION



Cordless Drill/Driver GSR 18V-90 C, The GSR 18V-90 C Professional is a powerful cordless drill driver with a brushless motor that delivers top performance with 64 Nm and 2,100 rpm. Its compact head length of 163mm provides perfect tool handiness. The robust 13-mm metal chuck ensures great torque transfer for every job. The drill driver holds a very high level of tool control for both, increased user health and tool protection: The HMI offers switchable Kickback Control to reduce the risk of sudden rotational torque reaction in a bind-up scenario. A switchable Precision Clutch stops the overriding once a preset torque level is reached and, thus, reduces the wear and tear of the clutch and the resulting noise. The tool is intended for drilling in wood with a maximum diameter of 68 mm and in steel with a diameter of up to 13 mm. The GSR 18V-90 C Professional is compatible with all Bosch Professional 18V batteries and chargers (Professional 18V System). L-BOXX 136 (1 600 A01 2G0); 1/1 L-BOXX inlay for tool (1 600 A02 K83); 2 x battery GBA 18V 5.0Ah (1 600 A00 2U5); Quick charger GAL 18V-40 Professional (1 600 A01 9R)

Article ID: 06019K6006

#### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.