



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS IMPACT DRIVER GDR 18V-210 C

SKU: 4059952587677

Cordless Impact Driver GDR 18V-210 C

**Categories:** [Battery-powered tools](#), [BOSCH professional](#), [Networked products and services](#), [Rotary impact wrench](#)

**Product Features:** No-load speed, up to:  
3.400 rpm

No-load speed, 1st level, up to: 1.100 rpm

Tool dimensions (width): 61 mm

Tool dimensions (length): 126 mm

Tool dimensions (height): 205 mm

Packaging dimensions (width): 360 mm

Packaging dimensions (length): 444 mm

Packaging dimensions (height): 155 mm

Packaging dimensions (width x length x height): 360 x 444 x 155 mm

No-load speed, from: 0 rpm

No-load speed: 0 rpm

Battery voltage: 18.0 V

Tool holder: 1/4" Hex Uni

Torque adjustment range, min. 1st level: 0 Nm

Torque adjustment range, max. 1st level: 80 Nm

Torque adjustment range, min./max., 1st level: 0/80 Nm

Torque adjustment range, min. 2nd level: 0 Nm

Torque adjustment range, max. 2nd level: 160 Nm

Torque adjustment range, min./max., 2nd level: 0/160 Nm

Torque adjustment range, min. 3rd level: 0 Nm

Torque adjustment range, max. 3rd level: 210 Nm



Torque adjustment range, min./max., 3rd level: 0/210 Nm  
No-load speed, 1st level, from: 0 rpm  
No-load speed (1st level): 0 rpm  
No-load speed, 2nd level, from: 0 rpm  
No-load speed, 2nd level, up to: 2.300 rpm  
No-load speed (2nd level): 0-2,300 rpm  
No-load speed (3rd level): 0-3,400 rpm  
Torque settings: 3  
Weight excl. battery: 1,1 kg  
Torque, max.: 210 Nm  
Impact rate, from: 0 bpm  
Impact rate, up to: 4.100 bpm  
Impact rate: 0-4,100 bpm  
Impact rate (1st level): 0-2,200 bpm  
Impact rate (2nd level): 0-3,300 bpm  
Impact rate (3rd level): 0-4,100 bpm  
Screw diameter: M 6 - M 16  
Vibration emission value ah [Tightening screws and nuts of maximum permitted size]: 9,0 m/s<sup>2</sup>  
Uncertainty K [Tightening screws and nuts of maximum permitted size]: 1,5 m/s<sup>2</sup>  
Product category subdivision: Cordless Impact Driver  
Positioning: Prevents damage before it occurs - impact driver with 1/4 hexagonal bit holder  
User benefit incl. Reason to believe: User interface with two default modes, selftapping and wood screw. Further modes can be adjusted and individualised via the Toolbox App  
User benefit incl. Reason to believe: Powerful 210 Nm tightening torque performance  
User benefit incl. Reason to believe: Versatile control and greater flexibility with three speed/torque settings  
Positioning (BE): Prevents damage before it occurs - impact driver with 1/4 hexagonal bit holder  
User benefit incl. Reason to believe (BE): User interface with two default modes, selftapping and wood screw. Further modes can be adjusted and individualised via the Toolbox App  
User benefit incl. Reason to believe (BE): Powerful 210 Nm tightening and 370 Nm



breakaway torque performance  
User benefit incl. Reason to believe (BE):  
Versatile control and greater flexibility with  
three speed/torque settings  
Areas of application: Screwdriving  
Title: Cordless Impact Driver GDR 18V-210 C  
Professional  
Novelty: no  
Novelty until: 01.09.2022  
Scope of supply: 1 x Bluetooth Low Energy  
module GCY 42 Professional (1 600 A01 6NH)  
Scope of supply: 1/2 L-BOXX inlay for tool and  
charger (1 600 A01 CU5)  
Scope of supply: 1/2 L-BOXX inlay for  
accessories (1 600 A00 2WC)  
Scope of supply: L-BOXX 136 (1 600 A01 2G0)  
SOL Date: 27.07.2021

Scope of delivery:  
1 ST Cordless Impact Driver GDR 18V-210 C |

## PRODUCT DESCRIPTION

Cordless Impact Driver GDR 18V-210 C, The GDR 18V-210 C Professional impact driver with a 1/4 hexagonal bit holder delivers powerful performance while preventing damage to materials. Two default modes on the user interface, selftapping screw (A) and wood screw (B), mean more control and less broken or stripped off screwheads, worn-out threads, and damaged workpieces by slowing down or shutting off the impact driver. Each mode is customisable via the Bosch Toolbox App. Strong and precise, this cordless impact driver unleashes 210 Nm tightening torque. Three speed/torque settings ensure impressive control and greater flexibility on the job. This impact driver is the power tool of choice for many applications, whether driving selftapping or wood screws. It is compatible with all Bosch Professional 18 V batteries and chargers (Professional 18V System). The GDR 18V-210 C Professional comes with a status indicator, LED light, and belt clip for greater convenience. 1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 6NH); 1/2 L-BOXX inlay for tool and charger (1 600 A01 CU5); 1/2 L-BOXX inlay for accessories (1 600 A00 2WC); L-BOXX 136 (1 600 A01 2G0)

Article ID: 06019J0101

### PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.