



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS IMPACT DRIVER GDR 18V-210C

SKU: 4059952587684

Cordless Impact Driver GDR 18V-210C

Categories: [Battery-powered tools](#), [BOSCH professional](#), [Networked products and services](#), [Rotary impact wrench](#)

Product Features: No-load speed, up to: 3.400 rpm
No-load speed, 1st level, up to: 1.100 rpm
Tool dimensions (width): 61 mm
Tool dimensions (length): 126 mm
Tool dimensions (height): 205 mm
Packaging dimensions (width): 360 mm
Packaging dimensions (length): 446 mm
Packaging dimensions (height): 155 mm
Packaging dimensions (width x length x height): 360 x 446 x 155 mm
No-load speed, from: 0 rpm
No-load speed: 0 rpm
Battery voltage: 18.0 V
Weight incl. battery: 1,6 kg
Tool holder: 1/4" Hex Uni
Torque adjustment range, min. 1st level: 0 Nm
Torque adjustment range, max. 1st level: 80 Nm
Torque adjustment range, min./max., 1st level: 0/80 Nm
Torque adjustment range, min. 2nd level: 0 Nm
Torque adjustment range, max. 2nd level: 160 Nm
Torque adjustment range, min./max., 2nd level: 0/160 Nm
Torque adjustment range, min. 3rd level: 0 Nm
Torque adjustment range, max. 3rd level: 210 Nm



Nm

Torque adjustment range, min./max., 3rd level: 0/210 Nm

No-load speed, 1st level, from: 0 rpm

No-load speed (1st level): 0 rpm

No-load speed, 2nd level, from: 0 rpm

No-load speed, 2nd level, up to: 2.300 rpm

No-load speed (2nd level): 0-2,300 rpm

No-load speed (3rd level): 0-3,400 rpm

Torque settings: 3

Weight excl. battery: 1,1 kg

Torque, max.: 210 Nm

Impact rate, from: 0 bpm

Impact rate, up to: 4.100 bpm

Impact rate: 0-4,100 bpm

Impact rate (1st level): 0-2,200 bpm

Impact rate (2nd level): 0-3,300 bpm

Impact rate (3rd level): 0-4,100 bpm

Screw diameter: M 6 - M 16

Vibration emission value ah [Tightening screws and nuts of maximum permitted size]: 9,0 m/s²

Uncertainty K [Tightening screws and nuts of maximum permitted size]: 1,5 m/s²

Product category subdivision: Cordless

Impact Driver

Positioning: Prevents damage before it occurs - impact driver with 1/4 hexagonal bit holder

User benefit incl. Reason to believe: User interface with two default modes, selftapping and wood screw. Further modes can be adjusted and individualised via the Toolbox App

User benefit incl. Reason to believe: Powerful 210 Nm tightening torque performance

User benefit incl. Reason to believe: Versatile control and greater flexibility with three speed/torque settings

Positioning (BE): Prevents damage before it occurs - impact driver with 1/4 hexagonal bit holder

User benefit incl. Reason to believe (BE): User interface with two default modes, selftapping and wood screw. Further modes can be adjusted and individualised via the Toolbox App

User benefit incl. Reason to believe (BE):



Powerful 210 Nm tightening and 370 Nm breakaway torque performance
User benefit incl. Reason to believe (BE):
Versatile control and greater flexibility with three speed/torque settings
Areas of application: Screwdriving
Title: Cordless Impact Driver GDR 18V-210C
Professional
Novelty: no
Novelty until: 01.09.2022
Scope of supply: 1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 6NH)
Scope of supply: 2 x battery ProCORE18V 4.0Ah (1 600 A01 6GB)
Scope of supply: Quick charger GAL 18V-40 Professional (1 600 A01 9RJ)
Scope of supply: 1/2 L-BOXX inlay for tool and charger (1 600 A01 CU5)
Scope of supply: 1/2 L-BOXX inlay for accessories (1 600 A00 2WC)
Scope of supply: L-BOXX 136 (1 600 A01 2G0)
SOL Date: 27.07.2021

Scope of delivery:
1 ST Cordless Impact Driver GDR 18V-210C |

PRODUCT DESCRIPTION

Cordless Impact Driver GDR 18V-210C, The GDR 18V-210 C Professional impact driver with a 1/4 hexagonal bit holder delivers powerful performance while preventing damage to materials. Two default modes on the user interface, selftapping screw (A) and wood screw (B), mean more control and less broken or stripped off screwheads, worn-out threads, and damaged workpieces by slowing down or shutting off the impact driver. Each mode is customisable via the Bosch Toolbox App. Strong and precise, this cordless impact driver unleashes 210 Nm tightening torque. Three speed/torque settings ensure impressive control and greater flexibility on the job. This impact driver is the power tool of choice for many applications, whether driving selftapping or wood screws. It is compatible with all Bosch Professional 18 V batteries and chargers (Professional 18V System). The GDR 18V-210 C Professional comes with a status indicator, LED light, and belt clip for greater convenience. 1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 6NH); 2 x battery ProCORE18V 4.0Ah (1 600 A01 6GB); Quick charger GAL 18V-40 Professional (1 600 A01 9RJ); 1/2 L-BOXX inlay for tool and charger (1 600 A01 CU5); 1/2 L-BOXX inlay for accessories (1 600 A00 2WC); L-BOXX 136 (1 600 A01 2G0)

Article ID: 06019J0102

PRODUCT DATASHEET LEGAL NOTE



Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.