



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS IMPACT WRENCH GDS 18V-1000

SKU: 4059952564586

Cordless Impact Wrench GDS 18V-1000

---

**Categories:** [Battery-powered tools](#), [BOSCH professional](#), [Rotary impact wrench](#)

**Product Features:** No-load speed, up to: 1.750 rpm  
No-load speed, 1st level, up to: 800 rpm  
Tool dimensions (width): 86 mm  
Tool dimensions (length): 222 mm  
Tool dimensions (height): 240 mm  
Packaging dimensions (width): 360 mm  
Packaging dimensions (length): 445 mm  
Packaging dimensions (height): 155 mm  
Packaging dimensions (width x length x height): 360 x 445 x 155 mm  
No-load speed, from: 0 rpm  
No-load speed: 0 rpm  
Battery voltage: 18.0 V  
Weight incl. battery: 3,9 kg  
Tool holder: 1/2" Square  
Breakaway torque, max.: 1600 Nm  
Torque adjustment range, min. 1st level: 0 Nm  
Torque adjustment range, max. 1st level: 350 Nm  
Torque adjustment range, min./max., 1st level: 0/350 Nm  
Torque adjustment range, min. 2nd level: 0 Nm  
Torque adjustment range, max. 2nd level: 700 Nm  
Torque adjustment range, min./max., 2nd level: 0/700 Nm  
Torque adjustment range, min. 3rd level: 0 Nm  
Torque adjustment range, max. 3rd level:



1000 Nm  
Torque adjustment range, min./max., 3rd level: 0/1000 Nm  
No-load speed, 1st level, from: 0 rpm  
No-load speed (1st level): 0 rpm  
No-load speed, 2nd level, from: 0 rpm  
No-load speed, 2nd level, up to: 1.200 rpm  
No-load speed (2nd level): 0-1,200 rpm  
No-load speed (3rd level): 0-1,750 rpm  
Torque settings: 3  
Weight excl. battery: 2,9 kg  
Torque, max.: 1000 Nm  
Impact rate, from: 0 bpm  
Impact rate, up to: 2.600 bpm  
Impact rate: 0-2,600 bpm  
Impact rate (1st level): 0-1,600 bpm  
Impact rate (2nd level): 0-2,400 bpm  
Impact rate (3rd level): 0-2,600 bpm  
Screw diameter: M 14 - M 24  
Vibration emission value ah [Tightening screws and nuts of maximum permitted size]: 13,5 m/s<sup>2</sup>  
Uncertainty K [Tightening screws and nuts of maximum permitted size]: 1,5 m/s<sup>2</sup>  
Product category subdivision: Cordless Impact Wrench  
Positioning: Full power, no cord: 1/2" high torque impact wrench with BITURBO Brushless technology  
User benefit incl. Reason to believe: High power with cordless freedom thanks to ProCORE18V batteries and brushless motor  
User benefit incl. Reason to believe: Best performance for heavy duties with a tightening torque of 1,000 Nm and a breakaway torque of up to 1,600 Nm  
User benefit incl. Reason to believe: High versatility and controlled power due to 3-speed/torque settings  
Positioning (BE): Full power, no cord: 1/2" high torque impact wrench with BITURBO Brushless technology  
User benefit incl. Reason to believe (BE): High power with cordless freedom thanks to ProCORE18V batteries and brushless motor  
User benefit incl. Reason to believe (BE): Best performance for heavy duties with a tightening torque of 1,000 Nm and a



breakaway torque of up to 1,600 Nm  
User benefit incl. Reason to believe (BE): High versatility and controlled power due to 3-speed/torque settings  
Title: Cordless Impact Wrench GDS 18V-1000 Professional  
Novelty: no  
Novelty until: 01.08.2021  
Scope of supply: 2 x battery ProCORE18V 8.0Ah (1 600 A01 6GK)  
Scope of supply: Quick charger GAL 1880 CV (1 600 A00 B8G)  
Scope of supply: L-BOXX 136 (1 600 A01 2G0)  
Scope of supply: 1/1 L-BOXX inlay for tool and charger (1 600 A02 58Y)  
Scope of supply: Ladder clip (1600 A02 3G7)  
SOL Date: 01.05.2021

Scope of delivery:  
1 ST Cordless Impact Wrench GDS 18V-1000 |

## PRODUCT DESCRIPTION

Cordless Impact Wrench GDS 18V-1000, The GDS 18V-1000 Professional is the powerful 1/2" impact wrench with BITURBO Brushless technology. Its cordless freedom with outstanding power is the outcome of the high-performing brushless motor fully maximised for ProCORE18V batteries. The new impact mechanism, which is designed to deliver a maximum tightening torque of 1,000 Nm and a maximum breakaway torque of up to 1,600 Nm, provides best performance for heavy duties. Three settings offer excellent control over speed/torque for high versatility. The impact wrench is perfect for metal applications with machine screws from M10 to M24 like structural steel construction, metal assembly, pipe fitting, and for truck maintenance as well as for wood construction. It is compatible with all Bosch Professional 18 V batteries and chargers (Professional 18V system), for maximum power use ProCORE18V 5.5 Ah. The GDS 18V-1000 Professional comes with ECP and EMP, a tool status indicator, LED light, a 1/2" tool holder with friction ring, and a ladder clip. 2 x battery ProCORE18V 8.0Ah (1 600 A01 6GK); Quick charger GAL 1880 CV (1 600 A00 B8G); L-BOXX 136 (1 600 A01 2G0); 1/1 L-BOXX inlay for tool and charger (1 600 A02 58Y); Ladder clip (1600 A02 3G7)

Article ID: 06019J8302

## PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.