



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



**ROBERT BOSCH POWER TOOLS GMBH
CORDLESS IMPACT WRENCH GDS
18V-1000 C**

SKU: 4059952548524

Cordless Impact Wrench GDS 18V-1000 C

Categories: [Battery-powered tools](#), [BOSCH professional](#), [Networked products and services](#), [Rotary impact wrench](#)

Product Features: No-load speed, up to: 1.750 rpm
No-load speed, 1st level, up to: 800 rpm
Tool dimensions (width): 86 mm
Tool dimensions (length): 222 mm
Tool dimensions (height): 240 mm
Packaging dimensions (width): 360 mm
Packaging dimensions (length): 456 mm
Packaging dimensions (height): 155 mm
Packaging dimensions (width x length x height): 360 x 456 x 155 mm
No-load speed, from: 0 rpm
No-load speed: 0 rpm
Battery voltage: 18.0 V
Weight incl. battery: 3,9 kg
Tool holder: 1/2" Square
Breakaway torque, max.: 1600 Nm
Torque adjustment range, min. 1st level: 0 Nm
Torque adjustment range, max. 1st level: 350 Nm
Torque adjustment range, min./max., 1st level: 0/350 Nm
Torque adjustment range, min. 2nd level: 0 Nm
Torque adjustment range, max. 2nd level: 650 Nm
Torque adjustment range, min./max., 2nd level: 0/650 Nm
Torque adjustment range, min. 3rd level: 0 Nm



Torque adjustment range, max. 3rd level:
1000 Nm
Torque adjustment range, min./max., 3rd level: 0/1000 Nm
No-load speed, 1st level, from: 0 rpm
No-load speed (1st level): 0 rpm
No-load speed, 2nd level, from: 0 rpm
No-load speed, 2nd level, up to: 1.300 rpm
No-load speed (2nd level): 0-1,300 rpm
No-load speed (3rd level): 0-1,750 rpm
Torque settings: 3
Weight excl. battery: 2,9 kg
Torque, max.: 1000 Nm
Impact rate, from: 0 bpm
Impact rate, up to: 2.600 bpm
Impact rate: 0-2,600 bpm
Impact rate (1st level): 0-1,600 bpm
Impact rate (2nd level): 0-2,300 bpm
Impact rate (3rd level): 0-2,600 bpm
Screw diameter: M 14 - M 24
Vibration emission value ah [Tightening screws and nuts of maximum permitted size]: 13,5 m/s²
Uncertainty K [Tightening screws and nuts of maximum permitted size]: 1,5 m/s²
Product category subdivision: Cordless Impact Wrench
Positioning: Powerful 1/2" cordless impact wrench with adjustable modes and BITURBO Brushless technology
User benefit incl. Reason to believe: BITURBO Brushless technology providing 1,000 Nm tightening torque and 1,600 breakaway torque
User benefit incl. Reason to believe: User interface with two default modes, metal (A) and wood (B). Additional modes can be adjusted and individualised via the Toolbox App
User benefit incl. Reason to believe: More flexibility and control via three speed/torque settings
Positioning (BE): Powerful 1/2" cordless impact wrench with adjustable modes and BITURBO Brushless technology
User benefit incl. Reason to believe (BE): BITURBO Brushless technology providing 1,000 Nm tightening torque and 1,600



breakaway torque

User benefit incl. Reason to believe (BE): User interface with two default modes, metal (A) and wood (B). Additional modes can be adjusted and individualised via the Toolbox App

User benefit incl. Reason to believe (BE): More flexibility and control via three speed/torque settings

Title: Cordless Impact Wrench GDS 18V-1000 C Professional

Novelty: no

Novelty until: 01.12.2021

Scope of supply: 2 x battery ProCORE18V 5.5Ah (1 600 A02 149)

Scope of supply: Quick charger GAL 1880 CV (1 600 A00 B8G)

Scope of supply: 1/1 L-BOXX inlay for tool and charger (1 600 A02 58Y)

Scope of supply: L-BOXX 136 (1 600 A01 2G0)

SOL Date: 01.02.2021

Scope of delivery:

1 ST Cordless Impact Wrench GDS 18V-1000 C |

PRODUCT DESCRIPTION

Cordless Impact Wrench GDS 18V-1000 C, The GDS 18V-1000 C Professional 1/2 impact wrench with BITURBO Brushless technology and adjustable modes goes full power on tough jobs. Its BITURBO Brushless technology combines a strong 1,000 Nm tightening and 1,600 Nm breakaway torque performance, fully optimised for ProCORE18V batteries. Two default modes on the user interface, metal mode (A) and wood mode (B), to avoid broken screwheads and the loss of metal bolts or nuts, by slowing down or shutting off the impact wrench. Each mode is customisable via the Bosch Toolbox App. For added flexibility and control, this cordless impact wrench is equipped with three different speed/torque settings. Tough on the job, the GDS 18V-1000 C Professional is the right choice for tightening and removing metal bolts and nuts up to M 24 in different working areas, from structural steel construction to pipe fitting, vehicle maintenance, or when using screws/lag bolts in wood construction. It is compatible with all Bosch Professional 18 V batteries and chargers (Professional 18V System), for maximum power use ProCORE18V 5.5 Ah. The GDS 18V-1000 C Professional comes with Electronic Cell Protection (ECP), Electronic Motor Protection (EMP), LED tool status indicator, ladder clip, and 1/2 tool holder with friction ring. 2 x battery ProCORE18V 5.5Ah (1 600 A02 149); Quick charger GAL 1880 CV (1 600 A00 B8G); 1/1 L-BOXX inlay for tool and charger (1 600 A02 58Y); L-BOXX 136 (1 600 A01 2G0)

Article ID: 06019J8003



PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.