



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS IMPACT WRENCH GDS 18V-1000 C

SKU: 4059952509785

Cordless Impact Wrench GDS 18V-1000 C

Categories: <u>Battery-powered tools, BOSCH</u> professional, <u>Networked products and</u> <u>services, Rotary impact wrench</u>

Product Features: No-load speed, up to:

1.750 rpm

No-load speed, 1st level, up to: 800 rpm

Tool dimensions (width): 86 mm
Tool dimensions (length): 222 mm
Tool dimensions (height): 240 mm
Packaging dimensions (width): 270 mm
Packaging dimensions (length): 288 mm
Packaging dimensions (height): 109 mm
Packaging dimensions (width x length x

height): 270 x 288 x 109 mm No-load speed, from: 0 rpm No-load speed: 0 rpm Battery voltage: 18.0 V

Tool holder: 1/2" Square

Breakaway torque, max.: 1600 Nm

Torque adjustment range, min. 1st level: 0

Nm

Torque adjustment range, max. 1st level: 350

Nm

Torque adjustment range, min./max., 1st

level: 0/350 Nm

Torque adjustment range, min. 2nd level: 0

Nm

Torque adjustment range, max. 2nd level:

650 Nm

Torque adjustment range, min./max., 2nd

level: 0/650 Nm

Torque adjustment range, min. 3rd level: 0

Nm

Torque adjustment range, max. 3rd level:





1000 Nm

Torque adjustment range, min./max., 3rd

level: 0/1000 Nm

No-load speed, 1st level, from: 0 rpm

No-load speed (1st level): 0 rpm

No-load speed, 2nd level, from: 0 rpm

No-load speed, 2nd level, up to: 1.300 rpm

No-load speed (2nd level): 0-1,300 rpm No-load speed (3rd level): 0-1,750 rpm

Torque settings: 3

Weight excl. battery: 2,9 kg

Torque, max.: 1000 Nm Impact rate, from: 0 bpm

Impact rate, up to: 2.600 bpm Impact rate: 0-2,600 bpm

Impact rate (1st level): 0-1,600 bpm Impact rate (2nd level): 0-2,300 bpm Impact rate (3rd level): 0-2,600 bpm

Screw diameter: M 14 - M 24

Vibration emission value ah [Tightening

screws and nuts of maximum permitted size]:

13,5 m/s²

Uncertainty K [Tightening screws and nuts of

maximum permitted size]: 1,5 m/s² Product category subdivision: Cordless

Impact Wrench

Positioning: Powerful 1/2" cordless impact wrench with adjustable modes and BITURBO

Brushless technology

User benefit incl. Reason to believe: BITURBO Brushless technology providing 1,000 Nm tightening torque and 1,600 breakaway torque

User benefit incl. Reason to believe: User interface with two default modes, metal (A) and wood (B). Additional modes can be adjusted and individualised via the Toolbox

User benefit incl. Reason to believe: More flexibility and control via three speed/torque settings

settings
Positioning (BE): Powerful 1/2" cordless
impact wrench with adjustable modes and

BITURBO Brushless technology

User benefit incl. Reason to believe (BE): BITURBO Brushless technology providing 1,000 Nm tightening torque and 1,600 breakaway torque





User benefit incl. Reason to believe (BE): User interface with two default modes, metal (A) and wood (B). Additional modes can be adjusted and individualised via the Toolbox App

User benefit incl. Reason to believe (BE): More flexibility and control via three speed/torque settings

Title: Cordless Impact Wrench GDS 18V-1000

C Professional Novelty: no

Novelty until: 01.12.2021

Scope of supply: Cardboard box

SOL Date: 01.02.2021

Scope of delivery: 1 ST Cordless Impact Wrench GDS 18V-1000 C |

PRODUCT DESCRIPTION

Cordless Impact Wrench GDS 18V-1000 C, The GDS 18V-1000 C Professional 1/2 impact wrench with BITURBO Brushless technology and adjustable modes goes full power on tough jobs. Its BITURBO Brushless technology combines a strong 1,000 Nm tightening and 1,600 Nm breakaway torque performance, fully optimised for ProCORE18V batteries. Two default modes on the user interface, metal mode (A) and wood mode (B), to avoid broken screwheads and the loss of metal bolts or nuts, by slowing down or shutting off the impact wrench. Each mode is customisable via the Bosch Toolbox App. For added flexibility and control, this cordless impact wrench is equipped with three different speed/torque settings. Tough on the job, the GDS 18V-1000 C Professional is the right choice for tightening and removing metal bolts and nuts up to M 24 in different working areas, from structural steel construction to pipe fitting, vehicle maintenance, or when using screws/lag bolts in wood construction. It is compatible with all Bosch Professional 18 V batteries and chargers (Professional 18V System), for maximum power use ProCORE18V 5.5 Ah. The GDS 18V-1000 C Professional comes with Electronic Cell Protection (ECP), Electronic Motor Protection (EMP), LED tool status indicator, ladder clip, and 1/2 tool holder with friction ring. Cardboard box

Article ID: 06019J8000

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.