



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



## ROBERT BOSCH POWER TOOLS GMBH CORDLESS IMPACT WRENCH GDS 18V-210 C

SKU: 4059952587790

Cordless Impact Wrench GDS 18V-210 C

**Categories:** [Battery-powered tools](#), [BOSCH professional](#), [Networked products and services](#), [Rotary impact wrench](#)

**Product Features:** No-load speed, up to:  
3.400 rpm

No-load speed, 1st level, up to: 1.100 rpm

Tool dimensions (width): 61 mm

Tool dimensions (length): 134 mm

Tool dimensions (height): 205 mm

Packaging dimensions (width): 360 mm

Packaging dimensions (length): 446 mm

Packaging dimensions (height): 155 mm

Packaging dimensions (width x length x height): 360 x 446 x 155 mm

No-load speed, from: 0 rpm

No-load speed: 0 rpm

Battery voltage: 18.0 V

Tool holder: 1/2" Square

Breakaway torque, max.: 370 Nm

Torque adjustment range, min. 1st level: 0 Nm

Torque adjustment range, max. 1st level: 90 Nm

Torque adjustment range, min./max., 1st level: 0/90 Nm

Torque adjustment range, min. 2nd level: 0 Nm

Torque adjustment range, max. 2nd level: 160 Nm

Torque adjustment range, min./max., 2nd level: 0/160 Nm

Torque adjustment range, min. 3rd level: 0 Nm

Torque adjustment range, max. 3rd level: 210



Nm

Torque adjustment range, min./max., 3rd level: 0/210 Nm

No-load speed, 1st level, from: 0 rpm

No-load speed (1st level): 0 rpm

No-load speed, 2nd level, from: 0 rpm

No-load speed, 2nd level, up to: 2.300 rpm

No-load speed (2nd level): 0-2,300 rpm

No-load speed (3rd level): 0-3,400 rpm

Torque settings: 3

Weight excl. battery: 1,1 kg

Torque, max.: 210 Nm

Impact rate, from: 0 bpm

Impact rate, up to: 4.100 bpm

Impact rate: 0-4,100 bpm

Impact rate (1st level): 0-2,200 bpm

Impact rate (2nd level): 0-3,300 bpm

Impact rate (3rd level): 0-4,100 bpm

Screw diameter: M 6 - M 16

Vibration emission value ah [Tightening screws and nuts of maximum permitted size]:  
11,2 m/s<sup>2</sup>

Uncertainty K [Tightening screws and nuts of maximum permitted size]: 1,5 m/s<sup>2</sup>

Product category subdivision: Cordless

Impact Wrench

Positioning: Prevents damage before it occurs - impact wrench with 1/2 tool holder

User benefit incl. Reason to believe: User interface with two default modes, selftapping and wood screw. Further modes can be adjusted and individualised via the Toolbox App

User benefit incl. Reason to believe: Powerful 210 Nm tightening and 370 Nm breakaway torque performance

User benefit incl. Reason to believe: Versatile three speed/torque settings for more flexibility and control

Positioning (BE): Prevents damage before it occurs - impact wrench with 1/2 tool holder

User benefit incl. Reason to believe (BE): User interface with two default modes, selftapping and wood screw. Further modes can be adjusted and individualised via the Toolbox App

User benefit incl. Reason to believe (BE): Powerful 210 Nm tightening and 370 Nm



breakaway torque performance  
User benefit incl. Reason to believe (BE):  
Versatile three speed/torque settings for more flexibility and control  
Areas of application: Screwdriving  
Title: Cordless Impact Wrench GDS 18V-210 C Professional  
Novelty: no  
Novelty until: 31.05.2022  
Scope of supply: 1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 6NH)  
Scope of supply: 1/2 L-BOXX inlay for tool and charger (1 600 A01 CU5)  
Scope of supply: 1/2 L-BOXX inlay for accessories (1 600 A00 2WC)  
Scope of supply: L-BOXX 136 (1 600 A01 2G0)  
SOL Date: 23.02.2021

Scope of delivery:  
1 ST Cordless Impact Wrench GDS 18V-210 C  
|

## PRODUCT DESCRIPTION

Cordless Impact Wrench GDS 18V-210 C, Offering maximum control and damage prevention, the GDS 18V-210 C Professional with 1/2 tool holder is the powerful solution for impact screwing. Two default modes available on the user interface, selftapping screw (A) and wood screw (B), ensure controlled application to avoid broken or stripped off screwheads, worn-out threads, and damage to workpieces by slowing down or shutting off the impact wrench. Each mode can be conveniently adjusted via the Bosch Toolbox App. 210 Nm tightening and 370 Nm breakaway torque deliver top performance. Greater flexibility and control are provided thanks to three different speed/torque settings. This is the powerful impact wrench for tightening and removing metal bolts and nuts (M 6 - M 16). It is compatible with all Bosch Professional 18 V batteries and chargers (Professional 18V System). The GDS 18V-210 C Professional comes with a status indicator, LED light, and belt clip for added convenience. 1 x Bluetooth Low Energy module GCY 42 Professional (1 600 A01 6NH); 1/2 L-BOXX inlay for tool and charger (1 600 A01 CU5); 1/2 L-BOXX inlay for accessories (1 600 A00 2WC); L-BOXX 136 (1 600 A01 2G0)

Article ID: 06019J0301

## PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.