



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS JIGSAW GST 18V-155 BC

SKU: 4059952545950

Cordless Jigsaw GST 18V-155 BC

Categories: [Battery-powered tools](#), [BOSCH professional](#), [Saws](#)

Product Features: Packaging dimensions (width): 360 mm
Packaging dimensions (length): 440 mm
Packaging dimensions (height): 155 mm
Packaging dimensions (width x length x height): 360 x 440 x 155 mm
Battery voltage: 18.0 V
Stroke rate at no load, from: 0 spm
Stroke rate at no load, up to: 3.800 spm
Stroke rate at no load: 0 - 3,800 spm
Stroke height: 26 mm
Weight excl. battery: 2 kg
Cutting depth in wood: 155 mm
Cutting depth in aluminium: 20 mm
Cutting depth in unalloyed steel: 10 mm
Product category subdivision: Cordless jigsaw
Positioning: Perfect mastery of the most demanding cuts in any position - with bow handle
User benefit incl. Reason to believe: Top handle gripping area and variable speed trigger ensure perfect tool control
User benefit incl. Reason to believe: For perfect precision: Saw blade guidance prevents blade bending even in small curves
User benefit incl. Reason to believe: Large saw blade ejection lever, drop control feature and external dust extraction ensure increased user health and safety
Positioning (BE): Perfect mastery of the most demanding cuts in any position - with bow handle
User benefit incl. Reason to believe (BE): Top



handle gripping area and variable speed trigger ensure perfect tool control
User benefit incl. Reason to believe (BE): For perfect precision: Saw blade guidance prevents blade bending even in small curves
User benefit incl. Reason to believe (BE): Large saw blade ejection lever, drop control feature and external dust extraction ensure increased user health and safety
Title: Cordless Jigsaw GST 18V-155 BC Professional
Novelty: yes
Novelty until: 01.12.2022
Scope of supply: L-BOXX 136 (1 600 A01 2G0)
Scope of supply: 1 x jigsaw blade T 144 DP, Precision for Wood (available separately as set of 3: 2 608 633 A31)
Scope of supply: 1 x jigsaw blade T 308 BP, Precision for Wood (available separately as set of 3: 2 608 667 399)
Scope of supply: Dust extraction nozzle (spare part number 1 617 S01 MS6)
Scope of supply: Dust extraction hood (spare part number 1 617 S01 MS8)
Scope of supply: Anti-splinter guard (spare part number 1 617 S01 MS7)
SOL Date: 01.09.2022

Scope of delivery:
1 ST Cordless Jigsaw GST 18V-155 BC |

PRODUCT DESCRIPTION

Cordless Jigsaw GST 18V-155 BC, GST 18V-155 BC Professional (with bow handle) comes with brushless motor and well-balanced tool design. The top handle gripping area and its variable speed trigger ensure perfect tool control. Its saw blade guidance prevents blade bending even in small curves and supports work with perfect precision. The tool is compatible with external dust extraction. Its large saw blade ejection lever and the drop control ensure increased user health and safety protection. It is ideal for curved and cross cuts in solid wood, chipboard, and wood composites as well as in thicker or harder materials. It is compatible with guide rails via adapter and with all Bosch Professional 18V batteries and chargers (Professional 18V System). The tool comes with a robust, die-cast aluminium base plate with two fixing points for increased stability and safety. Its connectivity module allows individual speed and light settings and provides important tool information. L-BOXX 136 (1 600 A01 2G0); 1 x jigsaw blade T 144 DP, Precision for Wood (available separately as set of 3: 2 608 633 A31); 1 x jigsaw blade T 308 BP, Precision for Wood (available separately as set of 3: 2 608 667 399); Dust extraction nozzle (spare part number 1 617 S01 MS6); Dust extraction hood (spare part number 1 617 S01 MS8); Anti-splinter guard



(spare part number 1 617 S01 MS7)

Article ID: 06015B1000

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.