ROBERT BOSCH POWER TOOLS GMBH CORDLESS ORBITAL SANDER GSS 12V-13

SKU: 4059952606309

Cordless Orbital Sander GSS 12V-13

Categories: Battery-powered tools, BOSCH professional, Grinder & Planer

Product Features: Packaging dimensions (width): 357 mm
Packaging dimensions (length): 442 mm
Packaging dimensions (height): 151 mm
Packaging dimensions (width x length x height): 357 x 442 x 151 mm
Battery voltage: 12.0 V
No-load orbital stroke rate, from: 12.000 opm
No-load orbital stroke rate, up to: 20.000 opm
No-load orbital stroke rate: 12,000 - 20,000 opm
Orbit diameter: 1,6 mm
Weight excl. battery: 0,8 kg
Sanding plate, width: 80 mm
Sanding plate, length: 130 mm
Delta sanding plate w/ hook-and-loop, length: 150 mm
Delta sanding plate w/ hook-and-loop, width: 100 mm
Sanding plate w/ hook-and-loop & clamp, length: 100 mm
Sanding plate w/ hook-and-loop & clamp, width: 110 mm
Vibration emission value ah [Sanding panel materials]: 3,6 m/s²
Uncertainty K [Sanding panel materials]: 1,5 m/s²
Product category subdivision: Cordless Orbital Sander
Positioning: Compact orbital sander for always-on-the-go professionals

User benefit incl. Reason to believe: Maximum control thanks to excellent tool balance and superior ergonomics

User benefit incl. Reason to believe: Lean 12V design for ultimate compactness

User benefit incl. Reason to believe: Intuitive operation with three interchangeable sanding plates

Title: Cordless Orbital Sander GSS 12V-13 Professional

Novelty: yes

Novelty until: 01.02.2023

Scope of supply: Dust bag (2 608 000 715)

Scope of supply: Base plate, 80 x 130 mm (2 608 601 447) with sanding plate (2 608 601 444)

Scope of supply: Delta base plate, 100 x 150 mm (2 608 601 448) with sanding plate (2 608 601 445)

Scope of supply: Base plate, 113 x 101 mm (2 608 601 446) with sanding plate (2 608 601 443)

Scope of supply: 1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 607 232)

Scope of supply: 1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 607 458)

Scope of supply: 1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 901 117)

Scope of supply: Hole punch (2 608 000 652)

SOL Date: 01.11.2022

Scope of delivery:
1 ST Cordless Orbital Sander GSS 12V-13 |

PRODUCT DESCRIPTION

Cordless Orbital Sander GSS 12V-13, The GSS 12V-13 Professional is the ideal companion for users who are always-on-the-go. It offers an excellent tool balance with the centre of gravity close to the workpiece and the superior ergonomics of the palm rest and grip. Its lean 12V design provides the necessary compactness for all hard-to-reach areas. It is easy to handle thanks to its intuitive operating concept and the interchangeable sanding plate system. The GSS 12V-13 Professional is ideal for basic and in-between sanding, lacquer removal, and finishing surfaces. It can be used on wood, veneer, lacquer, and filler, as well as mineral and acrylic. It is compatible with the Bosch Click & Clean dust extraction system and the

Professional 12V system. It features speed selection, a battery status indicator, a dust bag, and interchangeable sanding plates in three different sizes fitted with a hook-and-loop system for fastening sanding sheets. Dust bag (2 608 000 715); Base plate, 80 x 130 mm (2 608 601 447) with sanding plate (2 608 601 444); Delta base plate, 100 x 150 mm (2 608 601 448) with sanding plate (2 608 601 445); Base plate, 113 x 101 mm (2 608 601 446) with sanding plate (2 608 601 443); 1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 607 232); 1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 607 458); 1 x sanding sheet C470, Best for Wood + Paint, 120 (available separately as set of 10: 2 608 901 117); Hole punch (2 608 000 652)

Article ID: 06019L0001

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.