



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS RANDOM ORBIT SANDER GEX 18V-125

SKU: 4059952539652

Cordless Random Orbit Sander GEX 18V-125

Categories: [Battery-powered tools](#), [BOSCH professional](#), [Grinder & Planer](#)

Product Features: Packaging dimensions (width): 189 mm
Packaging dimensions (length): 237 mm
Packaging dimensions (height): 127 mm
Packaging dimensions (width x length x height): 189 x 237 x 127 mm
Battery voltage: 18.0 V
Sanding pad diameter: 125 mm
No-load speed, from: 6.000 rpm
No-load speed, up to: 10.000 rpm
No-load speed: 6,000 - 10,000 rpm
Orbital stroke rate, from: 12.000 opm
Orbital stroke rate, up to: 20.000 opm
Orbital stroke rate: 12,000 - 20,000 opm
Eccentricity: 1,25 mm
Sanding sheet / disc attachment: Hook-and-loop fastening
Weight excl. battery: 1,1 kg
Weight incl. battery: 1,6 kg
Tool dimensions (width): 153 mm
Tool dimensions (length): 224 mm
Tool dimensions (height): 108 mm
Orbit diameter: 2,5 mm
Vibration emission value ah [Sanding solid wood]: 2,2 m/s²
Uncertainty K [Sanding solid wood]: 1,5 m/s²
Product category subdivision: Cordless Random Orbit Sander
Positioning: Optimal control for sanding larger surfaces
User benefit incl. Reason to believe: Outstanding balance close to the workpiece



and supreme ergonomics of palm rest and grip offer optimal tool control

User benefit incl. Reason to believe:

Brushless motor and Bosch's Professional 18V system ensure fast work progress and high endurance

User benefit incl. Reason to believe: Easy and intuitive operation

Positioning (BE): Optimal control for sanding larger surfaces

User benefit incl. Reason to believe (BE):

Outstanding balance close to the workpiece and supreme ergonomics of palm rest and grip offer optimal tool control

User benefit incl. Reason to believe (BE):

Brushless motor and Bosch's Professional 18V system ensure fast work progress and high endurance

User benefit incl. Reason to believe (BE): Easy and intuitive operation

Areas of application: Sanding coating material

Areas of application: Sanding ferrous metals

Areas of application: Sanding wood

Areas of application: Sanding synthetic material

Areas of application: Sanding solid surface material

Areas of application: Sanding natural materials

Areas of application: Sanding non-ferrous metal

Areas of application: Grinding stone

Title: Cordless Random Orbit Sander GEX 18V-125 Professional

Novelty: no

Novelty until: 01.06.2021

Scope of supply: Sanding pad (125 mm) (2 608 000 714)

Scope of supply: 1 x sanding sheet C430, Expert for Wood + Paint, 120 (available separately as set of 5: 2 608 605 643)

Scope of supply: Dust bag (2 608 000 715)

SOL Date: 29.10.2020

Scope of delivery:

1 ST Cordless Random Orbit Sander GEX



PRODUCT DESCRIPTION

Cordless Random Orbit Sander GEX 18V-125, The GEX 18V-125 Professional random orbit sander provides users with optimal tool control, specifically, when working on larger surfaces. The random orbit sander's outstanding balance close to the workpiece as well as the supreme ergonomics of its palm rest and grip offer optimal tool control. Fast work progress and a longer tool lifetime are ensured by its brushless motor and Bosch's Professional 18V system. The GEX 18V-125 Professional can be easily and intuitively operated. This cordless random orbit sander is intended for basic sanding, in-between sanding, lacquer removal, and finishing surfaces. It is applicable on wood, veneer, lacquer, and filler, as well as mineral and acrylic. It is compatible with the Professional 18V system as well as Bosch's Click & Clean dust extraction system. The GEX 18V-125 Professional also features a dust bag, speed selection, and a 125-mm sanding pad fitted with a hook-and-loop system for fastening sanding sheets. Sanding pad (125 mm) (2 608 000 714); 1 x sanding sheet C430, Expert for Wood + Paint, 120 (available separately as set of 5: 2 608 605 643); Dust bag (2 608 000 715)

Article ID: 0601372201

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.