



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS RECIPROCATING SAW BITURBO GSA 18V-28

SKU: 4059952581477

Cordless Reciprocating Saw BITURBO GSA
18V-28

Categories: [Battery-powered tools](#), [BOSCH professional](#), [Saws](#)

Product Features: Stroke rate in 1st gear: 2.900 spm
Stroke rate (1st gear / 2nd gear): 2,900 spm
Packaging dimensions (width): 360 mm
Packaging dimensions (length): 440 mm
Packaging dimensions (height): 255 mm
Packaging dimensions (width x length x height): 360 x 440 x 255 mm
Battery voltage: 18.0 V
Cutting depth in wood: 230 mm
Cutting depth in metal profiles and metal pipes: 150 mm
Stroke length in 1st gear: 28 mm
Stroke lengths: 28 mm
Weight excl. battery: 3,2 kg
Vibration emission value ah [Sawing wood]: 23,1 m/s²
Uncertainty K [Sawing wood]: 1,5 m/s²
Product category subdivision: Cordless Reciprocating Saw BITURBO
Positioning: Cordless reciprocating saw with full corded power for fastest demolition work
User benefit incl. Reason to believe: BITURBO Brushless technology ensures maximum cordless cutting performance - equal to 1,100 W corded power
User benefit incl. Reason to believe: Toolless snap-in function allows simple one-handed insertion and ejection of the saw blade
User benefit incl. Reason to believe: Less fatigue while working in any position due to



perfect power-to-weight ratio
Positioning (BE): Speedy demolition work with more freedom and less fatigue
User benefit incl. Reason to believe (BE): Brushless technology ensures outstanding cordless cutting power - equal to 1,100 W corded power
User benefit incl. Reason to believe (BE): Toolless snap-in function allows simple one-handed insertion and ejection of the saw blade
User benefit incl. Reason to believe (BE): Less fatigue while working in any position due to perfect power-to-weight ratio
Title: Cordless Reciprocating Saw BITURBO GSA 18V-28 Professional
Novelty: yes
Novelty until: 01.12.2022
Scope of supply: L-BOXX 238 (1 600 A01 2G2)
Scope of supply: 1 x reciprocating saw blade S 2345 X, Progressor for Wood (available separately as set of 2: 2 608 654 403)
Scope of supply: 1 x reciprocating saw blade S 123 XF, Progressor for Metal (available separately as set of 2: 2 608 654 416)
SOL Date: 01.09.2022

Scope of delivery:
1 ST Cordless Reciprocating Saw BITURBO GSA 18V-28 |

PRODUCT DESCRIPTION

Cordless Reciprocating Saw BITURBO GSA 18V-28, Thanks to the new BITURBO Brushless technology, the GSA 18V-28 offers maximum cordless cutting performance - equivalent to that of a 1,100 W corded reciprocating saw. The toolless snap-in function ensures simple, one-handed insertion and ejection of the saw blade. The GSA 18V-28 has a great power-to-weight ratio which makes it easier and less exhausting to work with in any position. The GSA 18V-28 is ideal for demolition work involving a range of materials such as metal, wood, plastic, and insulation materials. It is compatible with the Bosch Professional 18V System. The GSA 18V-28 is perfectly designed for close-to-wall cuts in an upside-down cutting position. Its ergonomic design shows a curved upper part of the handle which conveniently supports multi-grip positions. Speed can be adjusted easily and is continuously variable via a trigger. The reciprocating saw comes with an attachable rafter hook for balanced tool hanging. L-BOXX 238 (1 600 A01 2G2); 1 x reciprocating saw blade S 2345 X, Progressor for Wood (available separately as set of 2: 2 608 654 403); 1 x reciprocating saw blade S 123 XF, Progressor for Metal (available separately as set of 2: 2 608 654 416)



Article ID: 06016C0001

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.