



Our retail price is a recommendation only. Prices in offer may differ. All prices indicated 0,00 € will follow in the offer.



ROBERT BOSCH POWER TOOLS GMBH CORDLESS RECIPROCATING SAW GSA 12V-14

SKU: 3165140910651

Cordless Reciprocating Saw GSA 12V-14

Categories: [Battery-powered tools](#), [BOSCH professional](#), [Saws](#)

Product Features: Cutting depth in metal profiles and metal pipes: 50 mm
Stroke length in 1st gear: 14,5 mm
Stroke lengths: 14.5 mm
Vibration emission value a_h [Sawing wood]: 12,0 m/s^2
Uncertainty K [Sawing wood]: 1,5 m/s^2
Product category subdivision: Cordless Reciprocating Saw
Positioning: Bosch's most compact 12V-reciprocating saw
User benefit incl. Reason to believe: Compactly designed for ideal control during use, the tool-free Bosch SDS system ensures fast and easy blade changes
User benefit incl. Reason to believe: Small grip circumference provides excellent ergonomics
User benefit incl. Reason to believe: Lightweight body offers comfortable handling
Positioning (BE): The smallest professional universal saw
User benefit incl. Reason to believe (BE): The most compact design in its class for perfect handling and versatile applications in wood, metal and plastic
User benefit incl. Reason to believe (BE): Excellent ergonomics: small grip circumference and light weight (only 1.2 kg) for maximum comfort
User benefit incl. Reason to believe (BE): Practical battery charge level indicator can be



used at any time to find out how much energy is left in the battery

Areas of application: Sawing concrete

Areas of application: Sawing ferrous metals

Areas of application: Sawing wood

Areas of application: Sawing synthetic material

Areas of application: Sawing natural materials

Areas of application: Sawing non-ferrous metal

Areas of application: Sawing stone

Title: Cordless Reciprocating Saw GSA 12V-14 Professional

Novelty: no

Novelty until: 01.11.2017

Scope of supply: Lid for L-BOXX inlay for charger (1 600 A00 8B1)

Scope of supply: L-BOXX 102 (1 600 A01 2FZ)

Scope of supply: 1 x reciprocating saw blade S 522 EF, Flexible for Metal (available separately as set of 2: 2 608 657 721)

Scope of supply: 1 x reciprocating saw blade S 511 DF, Flexible for Wood + Metal (available separately as set of 2: 2 608 657 722)

Scope of supply: 1/2 L-BOXX inlay for tool (1 600 A00 2VM)

Scope of supply: 1/2 L-BOXX inlay for charger (1 600 A00 2VN)

Scope of supply: 2 x battery GBA 12V 3.0Ah (1 600 A00 X79)

Scope of supply: Quick charger GAL 12V-40 Professional (1 600 A01 9R3)

SOL Date: 01.04.2017

Battery voltage: 12.0 V

Stroke rate in 1st gear: 0 spm

Stroke rate in 2nd gear: 3.000 spm

Stroke rate (1st gear / 2nd gear): 0 - 3,000 spm

Packaging dimensions (width): 360 mm

Packaging dimensions (length): 448 mm

Packaging dimensions (height): 119 mm

Packaging dimensions (width x length x height): 360 x 448 x 119 mm

Battery capacity: 3,0 Ah

Weight incl. battery: 1,2 kg

Cutting depth in wood: 65 mm



Scope of delivery:

1 ST Cordless Reciprocating Saw GSA 12V-14

|

PRODUCT DESCRIPTION

Cordless Reciprocating Saw GSA 12V-14, The GSA 12V-14 Professional cordless reciprocating saw offers outstanding compactness in Bosch's 12V-range. Perfect control and smooth operation are ensured by its slim design and tool-free Bosch SDS system for fast and easy blade changes. Additionally, the saw's small grip circumference provides excellent ergonomics. Comfortable handling is further enhanced by its lightweight body. This reciprocating saw is intended for sawing wood, metal, and plastic as well as wood composites and insulation materials. It is compatible with all Bosch Professional 12 V batteries and chargers (Professional 12V System). The GSA 12V-14 Professional also features an LED light. Lid for L-BOXX inlay for charger (1 600 A00 8B1); L-BOXX 102 (1 600 A01 2FZ); 1 x reciprocating saw blade S 522 EF, Flexible for Metal (available separately as set of 2: 2 608 657 721); 1 x reciprocating saw blade S 511 DF, Flexible for Wood + Metal (available separately as set of 2: 2 608 657 722); 1/2 L-BOXX inlay for tool (1 600 A00 2VM); 1/2 L-BOXX inlay for charger (1 600 A00 2VN); 2 x battery GBA 12V 3.0Ah (1 600 A00 X79); Quick charger GAL 12V-40 Professional (1 600 A01 9R3)

Article ID: 060164L976

PRODUCT DATASHEET LEGAL NOTE

Please note that the information on this datasheet is provided without warranty and is intended only as non-binding information about the product. Any liability for damages or losses that may arise from the use of this information is excluded. We therefore recommend that you verify the information on this datasheet with other sources before making any decisions based on this information. Additional information about the product can be found on our website.